

EOT T3 Revision



تم تحميل هذا الملف من موقع المناهج الإماراتية

موقع المناهج ← المناهج الإماراتية ← الصف الحادي عشر المتقدم ← علوم ← الفصل الثالث ← ملفات متنوعة ← الملف


تاريخ إضافة الملف على موقع المناهج: 13:21:27 2026-07-02

ملفات اكتب للمعلم اكتب للطالب | اختبارات الكترونية | اختبارات | حلول | عروض بوربوينت | أوراق عمل
منهج انجليزي | ملخصات وتقارير | مذكرات وبنوك | الامتحان النهائي | للمدرس

المزيد من مادة
علوم:

إعداد: Selvon Akeia

التواصل الاجتماعي بحسب الصف الحادي عشر المتقدم



صفحة المناهج
الإماراتية على
فيسبوك

الرياضيات

اللغة الانجليزية

اللغة العربية

التربية الاسلامية

المواد على تلغرام

المزيد من الملفات بحسب الصف الحادي عشر المتقدم والمادة علوم في الفصل الثالث

The Immune system

1

أسئلة مراجعة

2

Infectious Diseases

3

Noninfectious disorders

4


Infectious Diseases and Koch's Postulates

5



EOT T3 Revision

G11 Advanced



Q #1 & #13

1	BIO. 3.1.01.087 Identify ways in which microorganisms can be beneficial	Information from text	3
13	BIO.3.1.01.087 Explain how Koch proved the germ theory correct	Information from text 'Get it' question	3-4

ترشيح بالتعليم - لطلبة الصف الثاني عشر

Pathogens Cause Infectious Disease

What do a cold and athlete's foot have in common? They are both examples of an infectious disease. An **infectious disease** is a disease that is caused by a pathogen passed from one organism to another, disrupting homeostasis in the organism's body. Agents called **pathogens** are the cause of infectious diseases. Some, but not all, types of bacteria, viruses, protozoans, fungi, and parasites are pathogens.

Many types of these organisms present in the world around us do not cause infectious diseases. Your body benefits from organisms, such as certain types of bacteria and protozoans, that normally live in your intestinal and reproductive tracts. Other bacteria live on your skin, especially in the shafts of your hair follicles. These organisms keep pathogens from thriving and multiplying on your body.

Germ Theory and Koch's Experiments

Before the invention of the microscope, people thought "something" passed from a sick person to a well person to cause an illness. Then, scientists discovered microorganisms and Louis Pasteur demonstrated that microorganisms from the air are able to grow in nutrient solutions. With the knowledge gained from these and other discoveries, doctors and scientists began to develop the germ theory. The germ theory states that some microorganisms are pathogens. However, scientists were not able to clearly demonstrate this theory until Robert Koch developed his postulates.

Identification of the first disease pathogen

In the late 1800s, Robert Koch, a German physician, was studying anthrax (AN thraks)—a deadly disease that affects cattle and sheep and can also affect people.



04-2062377



Akeia.Selvon@moe.sch.ae



Q #1 & #13

1	BIO. 3.1.01.087 Identify ways in which microorganisms can be beneficial	Information from text	3
13	BIO.3.1.01.087 Explain how Koch proved the germ theory correct	Information from text 'Get it' question	3-4

Koch isolated bacteria, like those in **Figure 1**, from the blood of cattle that had died from anthrax. After growing the bacteria in the laboratory, Koch injected the bacteria into healthy cattle. These animals developed the disease anthrax. He then isolated bacteria from the blood of newly infected cattle and grew the bacteria in the laboratory. The characteristics of the two sets of cultures were identical, indicating that the same type of bacteria caused the illness in both sets of cattle. Thus, Koch demonstrated that the bacteria he originally isolated were the cause of anthrax.



Figure 1 These rodlike bacteria cause the disease anthrax.



Get It?

Explain how Koch proved the germ theory correct.

Koch's postulates

Koch established and published experimental steps known as **Koch's postulates**, which are rules for demonstrating that an organism causes a disease. These steps are followed today to identify a specific pathogen as the agent of a specific disease. Follow the steps in **Figure 2** as you read each of the four postulates.





Figure 2 Koch's postulates demonstrate that a specific pathogen causes a specific disease. Infer what Koch demonstrated when he isolated the same bacteria from the cattle the second time.

Some exceptions to Koch's postulates do exist. Some pathogens, such as the pathogen that is thought to cause syphilis (SIH fuh lus), cannot be grown in pure culture on artificial media. Artificial media are the nutrients that the bacteria need to survive and reproduce. Pathogens are grown on this media in the laboratory. Also, in the case of viruses, cultured cells are needed because viruses cannot be grown on artificial media.



Postulate 1

The suspected pathogen must be isolated from the diseased host in every case of the disease.

Postulate 2

The suspected pathogen must be grown in pure culture on artificial media in the laboratory.

Postulate 3

The suspected pathogen from the pure culture must cause the same disease when placed in a healthy new host.

Postulate 4

The suspected pathogen must be isolated from the new host, grown again in pure culture, and shown to have the same characteristics as the original pathogen.

Q #1 & #13

1	BIO. 3.1.01.087 Identify ways in which microorganisms can be beneficial	Information from text	3
13	BIO.3.1.01.087 Explain how Koch proved the germ theory correct	Information from text 'Get it' question	3-4

Which describes the cause of an infectious disease?

- ☐ A) a pathogen that causes the immune system to fail
- ☐ B) a pathogen that disrupts the body's homeostasis
- ☐ C) a vector that causes the immune system to fail
- ☐ D) a vector that disrupts the body's homeostasis

Correct Answer

B) a pathogen that disrupts the body's homeostasis

Which is a carrier of athlete's foot disease?

- ☐ A) a person with the disease who does not have symptoms
- ☐ B) a shower floor containing the infectious fungus
- ☐ C) the environmental location where the fungus originated
- ☐ D) the type of fungus that causes the disease

Correct Answer

A) a person with the disease who does not have symptoms

3. Which is the most common way that humans acquire an infectious disease?

 contaminated water

 sick animals

 mosquito bites

 D infected humans
CORRECT

2. Which scientist established a method for determining whether a microorganism caused a specific disease?

 A Koch
CORRECT

 Sagan

 Hooke

 Mendel



04-2062377



Akeia.Selvon@moe.sch.ae

Q #1 & #13

1	BIO. 3.1.01.087 Identify ways in which microorganisms can be beneficial	Information from text	3
13	BIO.3.1.01.087 Explain how Koch proved the germ theory correct	Information from text 'Get it' question	3-4

Which of the following is NOT one of Robert Koch's contribution to science?

- ☒ Finding a cure for many diseases, including anthrax and tuberculosis
- ☐ Discovering the cause of tuberculosis
- ☐ Providing a framework for the study of diseases
- ☐ Microbiology techniques for growing and studying bacteria

koch's postulates used to establish that a specific microb causes specific disease.

Which of the following is NOT part of Koch's postulates?

- ☐ A) the microorganism is never found in healthy animals.
- ☐ B) the microorganisms is always found in diseased animals.
- ☐ C) the microorganism must cause disease in healthy animals.
- ☒ D) the microorganism must secrete a toxin in culture.

Q #2, #3 & #15

2	BIO. 3.1.01.087 Discuss the role of reservoirs in disease dispersal	Information from text Table 1	5
3	BIO. 3.1.01.087 Identify the pathogens that cause infectious diseases to include bacteria, viruses, fungi, protozoa, and parasites	Information from text Table 1	5
15	BIO.3.1.01.087 Identify the pathogens that cause infectious diseases to include bacteria, viruses, fungi, protozoa and parasites	Table 1	5

Some exceptions to Koch's postulates do exist. Some pathogens, such as the pathogen that is thought to cause syphilis (SIH fuh lus), cannot be grown in pure culture on artificial media. Artificial media are the nutrients that the bacteria need to survive and reproduce. Pathogens are grown on this media in the laboratory. Also, in the case of viruses, cultured cells are needed because viruses cannot be grown on artificial media.



Spread of Disease

Although there are a large number of microorganisms, only a few cause disease. Some might cause mild diseases, such as the common cold. Others cause serious diseases, such as meningitis, an infection of the coverings of the brain and spinal cord. **Table 1** lists some human infectious diseases. For a pathogen to spread, it must have both a reservoir and a way to spread. A disease **reservoir** is a source of the pathogen in the environment. Reservoirs might be animals, people, or inanimate objects, such as soil.

Human reservoirs

Humans are the main reservoir for pathogens that affect humans. Many pathogens might be passed on to other hosts before the person even knows he or she has the disease. An individual that is symptom-free but capable of passing the pathogen is called a carrier. Pathogens that cause colds, the flu, and sexually transmitted diseases, such as HIV, can be passed on without the person knowing he or she is infected.

Animal reservoirs

Other animals also are reservoirs of pathogens that can be passed to humans. Influenza and rabies are examples of human diseases listed in **Table 1** that are caused by pathogens passed to humans from other animals. Influenza can infect pigs. Rabies is found in domestic dogs and many wild animals, such as bats, skunks, and raccoons.

Table 1 Human Infectious Diseases

Disease	Cause	Affected Organ System	How Disease is Spread
Tetanus	Bacterium	Nervous system	Soil in deep puncture wound
Strep throat	Bacterium	Respiratory system	Droplets/direct contact
Lyme disease	Bacterium	Skeletal and nervous systems	Vector (tick)
Chicken pox	Virus	Skin	Droplets/direct contact
Rabies	Virus	Nervous system	Animal bite
Influenza (the flu)	Virus	Respiratory system	Droplets/direct contact
Hepatitis B	Virus	Liver	Direct contact with exchange of body fluids
Giardia	Protozoan	Digestive tract	Contaminated water
Malaria	Protozoan	Blood and liver	Vector (mosquito)
Athlete's foot	Fungus	Skin	Direct contact or contaminated objects



04-2062377



Akeia.Selvon@moe.sch.ae




Q #2, #3 & #15

2	BIO. 3.1.01.087 Discuss the role of reservoirs in disease dispersal	Information from text Table 1	5
3	BIO. 3.1.01.087 Identify the pathogens that cause infectious diseases to include bacteria, viruses, fungi, protozoa, and parasites	Information from text Table 1	5
15	BIO.3.1.01.087 Identify the pathogens that cause infectious diseases to include bacteria, viruses, fungi, protozoa and parasites	Table 1	5

- A **disease reservoir** is a source of the pathogen in the environment.

→ Storage site for growth and reproduction

- Reservoirs might be *animals, people, or inanimate objects, such as soil.*



- Other animals also are reservoirs of pathogens that can be passed to humans.
- Influenza and rabies are examples of human diseases that are caused by pathogens passed to humans from other animals.

Rabies found in many wild animals such as bats, foxes, skunks and racoons. *Spread by animal bite*

Influenza can infect pigs

- Humans are the main reservoir for pathogens that affect humans.
- Many pathogens pass on to another host before the person knows he or she has the disease
- An individual that is symptom-free but capable of passing the pathogen is called a **carrier**.

- Some bacteria found in the **soil**, such as tetanus bacteria can cause disease in humans.
- Tetanus bacteria
- it contaminates a deep wound in the body.
- was a major cause of death during in the wars before the development of antibiotics and vaccinations.



Q #2, #3 & #15

2	BIO. 3.1.01.087 Discuss the role of reservoirs in disease dispersal	Information from text Table 1	5
3	BIO. 3.1.01.087 Identify the pathogens that cause infectious diseases to include bacteria, viruses, fungi protozoa, and parasites	Information from text Table 1	5
15	BIO.3.1.01.087 Identify the pathogens that cause infectious diseases to include bacteria, viruses, fungi protozoa and parasites	Table 1	5

A disease.....**reservoir...**is a source of the pathogen in the environment.

Which is a carrier of athlete's foot disease?

the type of fungus that causes the disease
the environmental location where the fungus originated
a shower floor containing the infectious fungus
a person with the disease who does not have symptoms

Soil containing the bacteria known to cause tetanus is called a(n)... **reservoir**

Which of the following common ways of transmission do the humans acquire the coronavirus through?

Contaminated water

Mosquito bites

Contacting infected humans

Sick animals

Which is the most common way that humans acquire an infectious disease?

a) contaminated water

b) mosquito bites

c) sick animals

d) **infected humans**



04-2062377



Akeia.Selvon@moe.sch.ae

Q #2, #3 & #15

2	BIO. 3.1.01.087 Discuss the role of reservoirs in disease dispersal	Information from text Table 1	5
3	BIO. 3.1.01.087 Identify the pathogens that cause infectious diseases to include bacteria, viruses, fungi protozoa, and parasites	Information from text Table 1	5
15	BIO.3.1.01.087 Identify the pathogens that cause infectious diseases to include bacteria, viruses, fungi protozoa and parasites	Table 1	5

The city health inspector closes a local restaurant when several people become ill from *E. coli*-contaminated food. What is the restaurant an example of ?

- A a pathogen
- B a booster
- C a reservoir
- D an epidemic source

A(n) **reservoir**.....is a source of the pathogen in the environment. A(n)..... **infectious disease** is a disease that is caused by a pathogen passed from one organism to another

An infectious disease is a disease that happens when a pathogen is passed from one organism to another. Which of the following is considered the cause of Malaria?

- Bacteria
- Viruses
- Parasites
- Protozoa**



04-2062377



Akeia.Selvon@moe.sch.ae

Disease Patterns


As outbreaks of diseases spread, certain patterns are observed. Agencies such as community health departments, the Centers for Disease Control and Prevention (CDC), and the World Health Organization (WHO) continually monitor disease patterns to help control the spread of diseases. The CDC, with headquarters in Atlanta, Georgia, receives information from doctors and medical clinics and publishes a weekly report about the incidence of specific diseases, as shown in **Figure 5**. The WHO similarly watches disease incidence throughout the world.

Some diseases, such as the common cold, are known as **endemic diseases** because small numbers of incidents are continually found within the population. Sometimes, a particular disease will have a large outbreak in an area and afflict many people, causing an **epidemic**. In 2003, there was an epidemic of severe acute respiratory syndrome (SARS). If an epidemic is widespread throughout a large region, such as a country, continent, or the entire globe, it is described as **pandemic**. HIV is an example of a pandemic. Influenza has led to several pandemics throughout history, including the Spanish flu in 1918, the Asian flu in 1957, and the Hong Kong flu in 1968. Each of the these flu pandemics killed millions of people worldwide.

TABLE 2. Reported cases of notifiable diseases,* by geographic division and area – United States, 2014

Area	Total resident population (in thousands)	Lyme disease
UNITED STATES	318,856	33,461
NEW ENGLAND	14,681	11,292
Connecticut	3,597	2,360
Maine	1,330	1,401
Massachusetts	6,745	5,304
New Hampshire	1,327	724
Rhode Island	1,055	904
Vermont	627	599
MID. ATLANTIC	41,471	14,509
New Jersey	8,938	3,286
New York (Upstate)	11,255	2,887
New York City	8,491	849
Pennsylvania	12,787	7,487
E.N. CENTRAL	46,740	1,950
Illinois	12,881	233
Indiana	6,597	110
Michigan	9,910	127
Ohio	11,594	119

Figure 5 The Centers for Disease Control and Prevention publish reports on the incidence of certain diseases. *Infer how these reports are helpful in understanding disease patterns.*



Get It?

Compare and contrast an epidemic and a pandemic.

Which of the following describes diseases that are continually found in small numbers of incidents within the population?

- Endemic disease
- Epidemic disease
- Pandemic disease
- Degenerative diseases


Which of the following best describes Corona disease?

- Endemic disease
- Epidemic disease
- Pandemic disease
- It is transmitted by arthropods

Which of these scenarios could be a direct cause of a disease becoming a pandemic?

- sick family returning from a foreign country
- mosquito in a field next to houses
- sick child attending school
- patient sneezing on a doctor


The large, annual outbreak of the flu disease during the winter months is referred to as a(n).....epidemic.....



large outbreak of a particular disease in a specific area; SARS is an example

a widespread epidemic throughout a large region; the Spanish flu is an example

a disease found in only a few individuals within a population; the common cold is an example



When a disease becomes widespread in a particular area, it is called a/an _____.


- a) pandemic
- b) epidemic
- c) endemic disease
- d) infectious disease

Q #5 & #6

5	BIO. 3.1.01.089 Differentiate between the various types of immune cells, to include WBC (neutrophils (macrophages, phagocytes, lymphocytes	Information from text Table 2	14
6	BIO.3.1.01.089 Identify the function and structures of lymphatic system	Information from text Figure 10	14

This response aids in the accumulation of white blood cells in the area. Some of the pain, heat, and redness experienced during an infectious disease are the result of the inflammatory response.

Table 2 Cells of the Immune System

Type of Cell	Example	Function
Neutrophils	LM Magnification: 800x 	Phagocytosis: blood cells that ingest bacteria
Macrophages	SEM Magnification: 950x 	Phagocytosis: blood cells that ingest bacteria and remove dead neutrophils and other debris
Lymphocytes	LM Magnification: 400x 	Specific immunity (antibodies and killing of pathogens): blood cells that produce antibodies and other chemicals


Specific Immunity

Pathogens sometimes get past the nonspecific defense mechanisms. In this event, the body has a second line of defense that attacks the pathogens. Specific immunity is more effective and involves the tissues and organs found in the lymphatic system.

Lymphatic system

The lymphatic system, shown in Figure 10, includes organs and cells that filter lymph and blood, destroy foreign microorganisms, and absorb fat. Lymph is the watery part of the blood (the plasma) that leaks out of capillaries to bathe all the cells in the body. This clear fluid, containing oxygen, nutrients, and white blood cells, circulates among the tissue cells, is collected by lymphatic vessels, and is returned to the circulatory system via the veins near the heart.

Figure 10 The lymphatic system contains the organs involved in the specific immune response. Identify the lymphatic organ where T cells mature.



- **Tonsils**-Form a protective ring of lymphatic tissue between the nasal and oral cavities. Helps protect against bacteria and other harmful materials in the nose and mouth.
- **Lymph nodes**-Filter the lymph and remove foreign materials From the lymph.
- **Spleen** -Stores blood and destroys damaged red blood cell. It contains lymphatic tissue that responds to foreign substance in the blood .
- -**Thymus gland** located above the heart -Activating a special kind of Lymphocyte called **T cells**. T cells produced in the bone marrow but the mature in the Thymus gland.

Diffused lymphatic tissue:found in mucous membranes of the intestinal, respiratory, urinary, and genital tracts.

Q #5 & #6

5	BIO. 3.1.01.089 Differentiate between the various types of immune cells, to include WBC (neutrophils (macrophages, phagocytes, lymphocytes)	Information from text Table 2	14
6	BIO.3.1.01.089 Identify the function and structures of lymphatic system	Information from text Figure 10	14

A Lymphatic system

Function


- 1-filter the lymph and blood
- 2-Destroy foreign microorganisms
- 3-Absorb fat

Composed of

Structures

- Lymphatic organs
- Lymphatic tissue
- Lymphocytes & few other type of cells

Fluid Lymph



Specific Immunity

- Pathogens sometimes get past the nonspecific defense mechanisms.
- Specific immunity, which is more effective, involves the tissues and organs found in the lymphatic system.

Specific Immunity



▪ aimed at a specific pathogen

▪ More effective

▪ Takes time to develop

▪ Involves tissues and organs found in

A Lymphatic system



04-2062377



Akeia.Selvon@moe.sch.ae

Q #5 & #6

5	BIO. 3.1.01.089 Differentiate between the various types of immune cells, to include WBC (neutrophils (macrophages, phagocytes, lymphocytes	Information from text Table 2	14
6	BIO.3.1.01.089 Identify the function and structures of lymphatic system	Information from text Figure 10	14

Which is a function of lymph nodes throughout the body?

A They are substances foreign to the body that produce an immune response.

B They filter lymph and remove foreign materials from lymph.

C They stay inside capillaries to bathe body tissues.

D They store blood and destroy damaged blood cells.

Which lymphatic organ stores blood and destroys damaged blood cells?

A. lymph nodes

B. tonsils

C. spleen

D. thymus

*A foreign protein that enters the body is an:

1. antibiotic.
- ✓ 2. antigen.
3. antibody.
4. anti-inflammatory.

Lymphocytes are produced in the ____.

tonsils

lymph nodes

red bone marrow

spleen

How are most viral diseases fought?

A. with antibiotics

B. with antiviral drugs

C. with chemical agents

D. by the body's immune system

*Anything that triggers an immune response is a/n

- 1.lymph cell
- ✓ 2.antigen
- 3.antibody
- 4.neutrop



04-2062377



Akeia.Selvon@moe.sch.ae



Q #5 & #6

5	,BIO. 3.1.01.089 Differentiate between the various types of immune cells, to include WBC (neutrophils (macrophages, phagocytes, lymphocytes	Information from text Table 2	14
6	BIO.3.1.01.089 Identify the function and structures of lymphatic system	Information from text Figure 10	14

A macrophage attacking a sporozoan in the bloodstream is an example of the process of..... **phagocytosis**.....

Which of the following cells is not a component of the immune system?

Neutrophils
Macrophages
Lymphocytes
Red blood cells

_____ are proteins that are produced by B lymphocytes and specifically react with a foreign antigen.

Interferons
Antibodies
Complement proteins
Antigens



04-2062377



Akeia.Selvon@moe.sch.ae

Q #5 & #6

5	,BIO. 3.1.01.089 Differentiate between the various types of immune cells, to include WBC (neutrophils (macrophages, phagocytes, lymphocytes	Information from text Table 2	14
6	BIO.3.1.01.089 Identify the function and structures of lymphatic system	Information from text Figure 10	14

Which of the following is **not** a component of the lymphatic system?

Learning Outcomes Covered

- o BIO.3.1.01.089

a.

The heart

b.

The spleen

c.

The tonsils

d.

The thymus gland

What is the type of white blood cell that is produced in bone marrow and includes B and T cells?

- ☐ A) antigens
- ☐ B) antibodies
- ☐ C) lymphocytes
- ☐ D) lymph nodes

Correct Answer

C) lymphocytes

Q #7 & #22

7	BIO. 3.1.01.089 Sequence the steps of the antibody-mediated response and the cytotoxic T cell response as a part of the specific immune system	Information from text	15
22	BIO. 3.1.01.089 Explain how immune cells communicate and interact with one another during immune responses	Information from text	15

Lymphatic organs

The organs of the lymphatic system contain lymphatic tissue, lymphocytes, a few other cell types, and connective tissue. **Lymphocytes** are a type of white blood cell that is produced in red bone marrow. The lymphatic organs include the lymph nodes, tonsils, spleen, thymus (THI mus) gland, and diffused lymphatic tissue found in mucous membranes of the intestinal, respiratory, urinary, and genital tracts.

The lymph nodes filter the lymph and remove foreign materials from the lymph. The tonsils form a protective ring of lymphatic tissue between the nasal and oral cavities. This helps protect against bacteria and other harmful materials in the nose and mouth.

The spleen stores blood and destroys damaged red blood cells. It also contains lymphatic tissue that responds to foreign substances in the blood. The thymus gland, which is located above the heart, plays a role in activating a special kind of lymphocyte called T cells. T cells are produced in the bone marrow, but they mature in the thymus gland.

	Lymphocytes	
	T cells	B cells
	Th= Helper T cell Tc =Cytotoxic T cell	Produce antibodies
Function	-Both produced from bone marrow -T cells mature in thymus gland	

B Cell Response

B lymphocytes, often called **B cells**, are located in all lymphatic tissues and can be thought of as antibody factories. **Antibodies** are proteins produced by B lymphocytes that specifically react with a foreign antigen. An antigen is a substance foreign to the body that causes an immune response; it can bind to an antibody or T cell. When a portion of a pathogen is presented by a macrophage, B cells produce antibodies. Follow along in **Figure 11** on the next page as you learn about how B cells are activated to produce antibodies.

When a macrophage surrounds, internalizes, and digests a pathogen, it takes a piece of the pathogen, which is called a processed antigen, and displays it on its membrane, as illustrated in **Figure 11**. In the lymphatic tissues, such as the lymph nodes, the macrophage, with the processed antigen on its surface, binds to a type of lymphocyte called a **helper T cell**. This process activates the helper T cell. This lymphocyte is called a "helper" because it activates antibody secretion in B cells and another type of T cell, which will be discussed later, that aids in killing microorganisms:


- The activated helper T cell reproduces, binds processed antigens, and attaches to a B cell.
- The new helper T cells continue the process of binding antigens, attaching to B cells, and reproducing.
- Once an activated helper T cell binds to a B cell holding an antigen, the B cell begins to manufacture antibodies that specifically bind to the antigen.
- The antibodies can enhance the immune response by binding to microorganisms, making them more susceptible to phagocytosis and, by initiating the inflammatory response, helping promote the nonspecific response.




Q #7 & #22

7	BIO. 3.1.01.089 Sequence the steps of the antibody-mediated response and the cytotoxic T cell response as a part of the specific immune system	Information from text	15
22	BIO. 3.1.01.089 Explain how immune cells communicate and interact with one another during immune responses	Information from text	15

Specific Responses



Antibody Response



(B Cell Response)

Killer T Cell Response

Cytotoxic T cells




(T Cell Response)

Q #7 & #22

7	BIO. 3.1.01.089 Sequence the steps of the antibody-mediated response and the cytotoxic T cell response as a part of the specific immune system	Information from text	15
22	BIO. 3.1.01.089 Explain how immune cells communicate and interact with one another during immune responses	Information from text	15

24) What role do cytotoxic T cells play in immune response?

- ☐ binds to processed antigens and B cells
- ☐ produces lysozymes to break down cell walls
- ☒ destroy pathogens and release cytokines
- ☐ prevents immunization from occurring



2. _____ is a cell that activates B cells and cytotoxic T cells.

- a) **Helper T cell**
- b) Memory cell
- c) Lymphocyte
- d) Interferon

19) Place the following steps of the antibody-mediated response of the immune system into the correct order.

- 1) _____
- 2) _____
- 3) _____
- 4) _____
- 5) _____

The phagocyte presents the antigen to helper T cells.
 The helper T cells present a processed antigen to B cells.
 The phagocyte internalizes and processes an antigen.
 The B cells begin producing antibodies or remain as memory cells.
 The activated B cells divide.

Correct Answer


1. The phagocyte internalizes and processes an antigen.
2. The phagocyte presents the antigen to helper T cells.
3. The helper T cells present a processed antigen to B cells.
4. The activated B cells divide.
5. The B cells begin producing antibodies or remain as memory cells.

5. To which does the activated helper T cell present its antigen?

- a) a pathogen
- b) **a B cell**
- c) bone marrow
- d) the thymus gland

4. What kind of immune response is demonstrated in the diagram?

- a) Genetic
- b) **Specific**
- c) Nonspecific
- d) Hormonal




Q #7 & #22

7	BIO. 3.1.01.089 Sequence the steps of the antibody-mediated response and the cytotoxic T cell response as a part of the specific immune system	Information from text	15
22	BIO. 3.1.01.089 Explain how immune cells communicate and interact with one another during immune responses	Information from text	15


1. What kind of immune response is demonstrated in the diagram?

- ☒ genetic
- ☒ nonspecific
- ☒ specific **CORRECT**
- ☒ hormonal




2. To which does the activated helper T cell present its antigen?

- ☒ a pathogen
- ☒ a B cell **CORRECT**
- ☒ bone marrow
- ☒ the thymus gland



In the figure below, the macrophage presents the antigen to the helper T cell by binding to a receptor on the helper T cell. What is the importance of this binding?

ناه، تقدم خلية البلعمة مولد الضد إلى الخلية T عن طريق ربطه بمستقبل على الخلية T المساعدة. إذا الارتباط؟



Learning Outcomes Covered

- o BIO.3.1.01.089
- o BIO.3.4.01.033
- o BIO.3.4.01.042

a. Activates the helper T cell and helps it to divide

b. Helps the macrophage cell to divide

c. Converts antigen into processed antigen

d. Produces direct antibodies

23

BIO. 3.1.01.088 Compare and contrast passive and active immunity

Information from text

18

29

BIO. 3.1.01.088 Compare and contrast passive and active immunity

Information from text

17-18

Passive and Active Immunity

The body's first response to an invasion by a pathogen is called the primary response. For example, if the viral pathogen that causes chicken pox enters the body, nonspecific and specific immune responses eventually defeat the foreign virus and the body is cleared of the pathogen.

One result of the specific immune response is the production of memory B and T cells. **Memory cells** are long-living cells that are exposed to the antigen during the primary immune response. These cells are ready to respond rapidly if the body encounters the same pathogen later. Memory cells protect the body by reducing the likelihood of developing the disease if exposed again to the same pathogen.

Table 3 Common Immunization

Immunization	Disease	Contents
DPT	Diphtheria (D), tetanus (T), pertussis (P) (whooping cough)	D: inactivated toxin, T: inactivated toxin, P: inactivated bacteria
Polio	Poliomyelitis	Inactivated virus
MMR	Measles, mumps, rubella	All three inactivated viruses
Varicella	Chicken pox	Inactivated virus
HIB	Haemophilus influenzae (flu) type b	Portions of bacteria cell wall covering
HBV	Hepatitis B	Subunit of virus

Passive immunity

Sometimes temporary protection against an infectious disease is needed. This type of temporary protection occurs when antibodies are made by other people or animals and are transferred or injected into the body. For example, passive immunity occurs between a mother and her child. Antibodies produced by the mother are passed through the placenta to the developing fetus and through breast milk to the infant child. These antibodies can protect the child until the infant's immune system matures.

Antibodies developed in humans and animals that are already immune to a specific infectious disease are used to treat some infectious diseases in others. These antibodies are injected into people who have been exposed to that particular infectious disease. Passive immune therapy is available for people who have been exposed to hepatitis A and B, tetanus, and rabies. Antibodies also are available to inactivate snake and scorpion venoms.

Active immunity

Active immunity occurs after the immune system is exposed to disease antigens and memory cells are produced. Active immunity can result from having an infectious disease or immunization. **Immunization**, also called vaccination, is the deliberate exposure of the body to an antigen so that a primary response and immune memory cells will develop. **Table 3** lists some of the common immunizations offered in the United States. Immunizations contain killed or weakened pathogens, which are incapable of causing the disease.

Most immunizations include more than one stimulus to the immune system, given after the first immunization. These booster shots increase the immune response, providing further protection from the disease-causing organism.



Get It?

Describe the difference between passive immunity and active immunity.

23 BIO. 3.1.01.088 Compare and contrast passive and active immunity

Information from text

18


29 BIO. 3.1.01.088 Compare and contrast passive and active immunity

Information from text


17-18

Passive Immunity

- Temporary protection **occurs when** antibodies are made by other people or animals (that already immune to a specific infectious disease) and are transferred or injected into the body.




- Antibodies from the mother pass through the placenta to the fetus and through breast milk. It provides immunity to the baby until the infant's immune system develops.




Active Immunity

- Active immunity occurs after the immune system is exposed to disease antigens and memory cells are produced. **Active immunity can result from having an infectious disease.**
- Immunization / Vaccination** is the **deliberate exposure of the body to an antigen** so a primary response and immune memory cells will develop.



Active Immunity VS Passive Immunity



Most immunizations include more than one stimulus to the immune system, given after the first immunization. These booster shots increase the immune response, providing further protection against the disease-causing organism.



Q #8, #23 & #29

-BIO.3.1.01.089 Explain why immunizations (vaccinations) are effective in preventing diseases with current real world applications

Table 3

18

23

BIO. 3.1.01.088 Compare and contrast passive and active immunity

Information from text

18

29

BIO. 3.1.01.088 Compare and contrast passive and active immunity

Information from text

17-18

Which of the following is not one of the benefits of the booster shots of vaccination against Corona virus disease shown in the figure below?

Creating active immunity

Creating passive immunity

Increasing immune response

Providing further protection against the virus

As an infant and again at about age 14, you were deliberately exposed to weakened DPT toxins and organisms. However, you have shown no signs of these diseases. What happened when you were an infant and again at age 14?

A You were immunized against DPT.

B You were given a booster shot.

C You got a shot of interferon.

D You developed one of these diseases.

What is a common example of passive immunity?

- ☐ A) skin keeps bacteria from entering body
- ☐ B) lysozyme kills pathogens
- ☐ C) mother's antibodies given to fetus
- ☐ D) vaccination results in memory cells

Correct Answer

C) mother's antibodies given to fetus

The deliberate exposure of the body to an antigen to build future immunity is called ____.

- ☐ A) phagocytosis
- ☐ B) cellular defense
- ☐ C) passive immunity
- ☐ D) immunization

Correct Answer

D) immunization

04-2062377

Arka.Servon@moeschool.ac

Q #9, #10 & #11

9	BIO.3.1.01.087 Differentiate between the five categories of noninfectious diseases, in terms of cause and examples	Information from text	21
10	BIO.3.1.01.087 Differentiate between the five categories of noninfectious diseases, in terms of cause and examples	Information from text	21-22
11	BIO.3.1.01.087 Summarize factors that can cause coronary artery disease	Information from text Figure 15	21

Genetic Disorders

Not all diseases or body disorders are caused by pathogens. Some diseases, such as albinism, sickle cell anemia, Huntington's disease, and hemophilia, are caused by the inheritance of genes that do not function properly in the body. There are also disorders, such as Down syndrome and Turner syndrome, that result from abnormal chromosome numbers. Many diseases are complex and have both an environmental and a genetic cause.

Coronary artery disease (CAD) is an example of a condition with environmental and genetic origins. This cardiovascular disease can result in blockage of arteries, shown in **Figure 15**, that deliver oxygenated blood to the heart muscle. There is a genetic component that increases a person's risk of developing CAD. Environmental factors such as diet and inactivity contribute to the development of this complex disease. Families with a history of CAD have a two to seven times greater risk of having CAD than families without a history of CAD. The exact genetic factors, however, are not known.



Get It?
Summarize the factors that cause coronary artery disease.

Degenerative Diseases

Diseases that are the result of the body wearing out or of the natural aging process are referred to as **degenerative** (dih JEH nuh ruh tihv) **diseases**.





Figure 15 When blood cannot flow through a coronary artery, such as the diseased artery shown here, a heart attack or sudden death can result.

Coronary artery

Arteries deliver oxygenated blood to heart muscles

Causes Of Coronary Artery Disease




1- Genetic component increases a person's risk of developing CAD

2- Environmental factors such as diet contribute to the developing CAD

Result: blockage of arteries

Families with a history of CAD have a **two to seven times greater risk** of having CAD than families without a history of CAD.



04-2062377



Q #9, #10 & #11

9	BIO.3.1.01.087 Differentiate between the five categories of noninfectious diseases, in terms of cause and examples	Information from text	21
10	BIO.3.1.01.087 Differentiate between the five categories of noninfectious diseases, in terms of cause and examples	Information from text	21-22
11	BIO.3.1.01.087 Summarize factors that can cause coronary artery disease	Information from text Figure 15	21

1. Which statement best describes a genetic disorder?

- A. A disease caused only by bacteria or viruses
- B. A disease caused by inherited genes that do not function properly
- C. A disease caused by poor diet only
- D. A disease that can spread from one person to another

Answer: B

2. The CAD picture shows a blocked/narrowed coronary artery. Why can coronary artery disease sometimes be linked to genetics?

- A. Some people may inherit genes that increase their risk of developing CAD
- B. CAD is always passed directly from parent to child
- C. CAD is caused by the same gene that causes albinism
- D. CAD only happens when a person has hemophilia

Answer: A



04-2062377



Akeia.Selvon@moe.sch.ae

Allergies

Certain individuals might have an abnormal reaction to environmental antigens.

A response to environmental antigens is called an **allergy**. These antigens are called allergens and include things such as plant pollens, dust, dust mites, and various foods, as shown in **Table 4**. An individual becomes sensitized to the allergen and has a localized inflammatory response with swollen itchy eyes, stuffy nose, sneezing, and sometimes a skin rash. These symptoms are the result of a chemical called histamine, released by certain white blood cells. Antihistamine medications can help alleviate these symptoms.



Get It?

Explain how allergies are related to the immune system.

Severe allergic reactions to particular allergens can result in **anaphylactic** (an uh fuh LAK tik) **shock**, which causes a massive release of histamine. In anaphylactic shock, the smooth muscles in the bronchioles contract, which restricts air flow into and out of the lungs.

Common allergens that cause severe allergic reactions are bee stings, penicillin, peanuts, and latex, which is used to make balloons and surgical gloves. People who are extremely sensitive to these allergens require prompt medical treatment if exposed to these agents, because anaphylactic reactions are life-threatening. Allergies and anaphylactic reactions are known to have an inherited component.

Table 4 Common Allergens

Allergen	Example	Description
Dust mite	Color-enhanced SEM, magnification ×700 	Dust mites are found in mattresses, pillows, and carpets. Mites and mite feces are allergens.
Plant pollen	Color-enhanced SEM, magnification ×1000 	Different parts of the country have very different pollen seasons. People can react to one or more pollens, and a person's pollen allergy season might be from early spring to late fall.
Animal dander	Color-enhanced SEM, magnification ×1175 	Dander is skin flakes. Cat and dog allergies are the most common, but people also are allergic to pets such as birds, hamsters, rabbits, mice, and gerbils.
Peanut		Allergic reaction to peanuts can result in anaphylactic shock. Peanut allergy is responsible for more fatalities than any other type of allergy.
Latex		Latex comes from the milky sap of the rubber tree, found in Africa and Southeast Asia. The exact cause of latex allergy is unknown.



Q. Which of the following antigens initiates allergic reaction upon exposure to some kind of pets?


- A
- B**
- C
- D



(D)



(C)



(B)



(A)

What type of reaction is a hypersensitivity to an allergen such as a bee sting?

- a) degenerative disease
- b) metabolic disease
- c) allergy
- d) anaphylactic shock**

A severe allergic reaction that causes a massive release of histamine is called ____.

- active immunity
- metabolic disease
- anaphylactic shock**
- rheumatic fever



When a person has a localized inflammatory response with swollen itchy eyes, stuffy nose, sneezing, and sometimes a skin rash. Which disease would you expect this person to have?

- Rheumatic fever
- Lupus
- Allergy**
- Angina pectoris



Other reservoirs

Some bacteria normally found in the soil, such as tetanus bacteria, can cause disease in humans. The tetanus bacteria can cause a serious infection if it contaminates a deep wound in the body. Contamination of wounds by bacteria was a major cause of death during wars before the development of antibiotics and vaccinations.

Contaminated water or food is another reservoir of pathogens for human disease. One of the main purposes of sewage treatment plants is the safe disposal of human feces, which prevents contamination of the water supply by pathogens. Contaminated water used in growing or preparing food can transfer pathogens. Food also can become contaminated through contact with humans or insects such as flies.

Transmission of pathogens

Pathogens are transmitted to humans in four main ways: direct contact, indirectly through the air, indirectly through touching contaminated objects, or by organisms called vectors that carry pathogens. **Figure 3** illustrates some of the ways pathogens can be transmitted to humans.



Figure 3 Diseases can be transmitted to humans in various ways.

Direct contact Direct contact with other humans is one of the major modes of transmission of pathogens. Diseases such as colds, infectious mononucleosis (mah noh new klee OH sus) (commonly referred to as mono, or the “kissing disease”), herpes (HUR peeZ), and sexually transmitted diseases are caused by pathogens passed through direct contact, even if the person is a carrier.

Indirect contact Some pathogens can be passed through the air. When a person with an infectious disease sneezes or coughs, pathogens can be passed along with the tiny mucus droplets. These droplets then can spread pathogens to another person or to an object.

Many organisms can survive on objects handled by humans. Cleansing of dishes, utensils, and countertops with detergents, as well as careful hand-washing help prevent the spread of diseases that are passed in this manner. As a result, there are various food rules that restaurants must abide by that are based on preventing the spread of disease.

Vectors Certain diseases can be transmitted by vectors. The most common vectors are arthropods, which include biting insects such as mosquitoes and ticks. Recall from **Table 1** on the previous page that Lyme disease and malaria are diseases that are passed to humans by vectors. The Zika virus is another example of a disease that can be passed to humans by a vector. The Zika virus, which is currently spreading across South America and North America, is transmitted to humans by infected mosquitoes. The mosquitoes become infected when they bite a person who is already infected with the Zika virus. The West Nile virus, cases of which were reported in 47 states in 2016, is transmitted from horses and other mammals to humans by mosquitoes. Flies can transmit pathogens by landing on infected materials, such as feces, and then landing on materials handled or eaten by humans.



Get It?

Describe how diseases are spread to humans.

Symptoms of Disease

When you become ill with a disease such as the flu, why do you feel aches and pains, and why do you cough and sneeze? The pathogen, such as the influenza virus or bacteria, has invaded some of the cells of your body. The virus multiplies in the cells and leaves the cells either by exocytosis, or by causing the cell to burst. Thus, the virus damages tissues and even kills some cells. When pathogenic bacteria invade the body, harmful chemicals or toxins might be produced. The toxins can be carried throughout the body via the bloodstream and damage various parts of the body.



Akeia.Sel

Which of the following common ways of transmission do the humans acquire the coronavirus through?

Contaminated water

Mosquito bites

Contacting infected humans

Sick animals

A(n) **reservoir**.....is a source of the pathogen in the environment. A(n)..... **infectious disease** is a disease that is caused by a pathogen passed from one organism to another

Which is a carrier of athlete's foot disease?

the type of fungus that causes the disease

the environmental location where the fungus originated

a shower floor containing the infectious fungus

a person with the disease who does not have symptoms

Which is the most common way that humans acquire an infectious disease?

a) contaminated water

b) mosquito bites

c) sick animals

d) **infected humans**



Q #16 & #18	16 BIO.3.1.01.087 Explain different ways pathogens can cause diseases including viruses, bacteria and fungi	Information from text	7
18	BIO.3.1.01.087 Recognize that symptoms are caused by the host's immune system response to invasion of pathogens	Information from text	7-8



Direct contact Direct contact with other humans is one of the major modes of transmission of pathogens. Diseases such as colds, infectious mononucleosis (mah noh new klee OH sus) (commonly referred to as mono, or the “kissing disease”), herpes (HUR peeZ), and sexually transmitted diseases are caused by pathogens passed through direct contact, even if the person is a carrier.

Indirect contact Some pathogens can be passed through the air. When a person with an infectious disease sneezes or coughs, pathogens can be passed along with the tiny mucus droplets. These droplets then can spread pathogens to another person or to an object.

Many organisms can survive on objects handled by humans. Cleansing of dishes, utensils, and countertops with detergents, as well as careful hand-washing help prevent the spread of diseases that are passed in this manner. As a result, there are various food rules that restaurants must abide by that are based on preventing the spread of disease.

Vectors Certain diseases can be transmitted by vectors. The most common vectors are arthropods, which include biting insects such as mosquitoes and ticks. Recall from **Table 1** on the previous page that Lyme disease and malaria are diseases that are passed to humans by vectors. The Zika virus is another example of a disease that can be passed to humans by a vector. The Zika virus, which is currently spreading across South America and North America, is transmitted to humans by infected mosquitoes. The mosquitoes become infected when they bite a person who is already infected with the Zika virus. The West Nile virus, cases of which were reported in 47 states in 2016, is transmitted from horses and other mammals to humans by mosquitoes. Flies can transmit pathogens by landing on infected materials, such as feces, and then landing on materials handled or eaten by humans.

Toxins produced by some pathogens can affect specific organ systems. The tetanus bacteria produce a potent toxin that causes spasms in voluntary muscles. The disease botulism (BAH chuh lih zum) usually is caused when a person consumes food in which the botulism bacteria have grown and produced a toxin. This toxin paralyzes nerves. The toxin from the botulism bacteria can cause disease in humans even when no bacteria are present.

Some types of bacteria, some protozoans, and all viruses invade and live inside cells, causing damage. Because the cells are damaged, they might die, causing symptoms in the host. Some disease symptoms, such as coughing and sneezing, are triggered by the immune system, as discussed later in this module. For a closer look at research on the immune system, examine **Figure 4**, on the next page.


Get It?
Describe how diseases are spread to humans.

Symptoms of Disease

When you become ill with a disease such as the flu, why do you feel aches and pains, and why do you cough and sneeze? The pathogen, such as the influenza virus or bacteria, has invaded some of the cells of your body. The virus multiplies in the cells and leaves the cells either by exocytosis, or by causing the cell to burst. Thus, the virus damages tissues and even kills some cells. When pathogenic bacteria invade the body, harmful chemicals or toxins might be produced. The toxins can be carried throughout the body via the bloodstream and damage various parts of the body.



Akeia.Selvon@moe.sch.ae



Q #16 & #18	16 BIO.3.1.01.087 Explain different ways pathogens can cause diseases including viruses, bacteria and fungi	Information from text	7
18	BIO.3.1.01.087 Recognize that symptoms are caused by the host's immune system response to invasion of pathogens	Information from text	7-8

1. Why do symptoms such as coughing, sneezing, and body aches occur during an infectious disease?

 - A. The body produces extra oxygen in response to pathogens.
 - B. Pathogens invade cells, multiply, and damage tissues.
 - C. Bacteria stop the blood from carrying nutrients.
 - D. Viruses produce antibiotics that affect body cells.
2. A student says, "Only viruses can damage cells and cause symptoms." Which statement best corrects this idea?

 - A. Only bacteria can invade and live inside cells.
 - B. Viruses, some bacteria, and protozoans can invade cells and damage them.
 - C. Protozoans cannot cause symptoms in humans.
 - D. Bacteria cause symptoms only by blocking airways.

Answer: B

Answer: B

3. Some bacteria, such as those that cause botulism and tetanus, produce toxins. How do these toxins cause symptoms in the body?
- A. They are harmful chemicals that can travel through the bloodstream and damage body systems.
 - B. They help the immune system destroy infected cells.
 - C. They stop all pathogens from entering body cells.
 - D. They only affect the skin and do not spread through the body.

Answer: A

Q #17 & #28	17 BIO.3.1.01.087 Differentiate between bacterial sensitivity and resistance to antibiotics	Information from text	10
28	BIO.3.1.01.087 Analyze the increase in the occurrence of antibiotic-resistant bacteria	Information from text Figure 7	10-11

Treating and Fighting Diseases

A medical professional may prescribe a drug to help the body fight a disease. One type of prescription drug is an **antibiotic** (an ti bi AH tihk), which is a substance that can kill or inhibit the growth of microorganisms. Penicillin is secreted by the fungus *Penicillium*, which is shown in **Figure 6**. This fungus secretes the chemical penicillin to kill competing bacteria that grow on the fungal food source. Penicillin was isolated, purified, and first used in humans during World War II. Many other fungal secretions are used as antibiotics, such as erythromycin, neomycin, and gentamicin. Synthetic antibiotics also have been developed by pharmaceutical companies.

Chemical agents also are used in the treatment of protozoan and fungal diseases. Some antiviral drugs are used to treat herpes infections, influenza in the elderly, and HIV infections. Most viral diseases are handled by the body’s built-in defense system—the immune system.


Get It?
 Explain the history of the use of penicillin as an antibiotic.

HEALTH Connection Over the last 60 years, the widespread use of antibiotics has caused many bacteria to become resistant to particular antibiotics. Natural selection occurs when organisms with favorable variations survive, reproduce, and pass their variations to the next generation. Bacteria in a population might have a trait that enables them to survive when a particular antibiotic is present. These bacteria can reproduce quickly and pass on the variation. Because reproduction can occur so rapidly in bacteria, the number of antibiotic-resistant bacteria in a population can increase quickly, too.



Figure 6 Penicillin, a widely used antibiotic, is secreted by the mold called *Penicillium*, shown growing on these oranges.

Determine why many strengths and varieties of penicillin and other antibiotics are needed.

Problems resulting from antibiotic resistance

Antibiotic resistance of bacteria has presented the medical community with problems when treating certain diseases. For example, penicillin was used effectively for many years to treat gonorrhea (gah nuh REE uh), a sexually transmitted disease, but now most strains of gonorrhea bacteria are resistant to penicillin. As a result, new drug therapies are needed to treat gonorrhea. **Figure 7**, on the next page, shows the increase in gonorrhea resistance from 1980–1990.

Another treatment problem is with staphylococcal disease—it is acquired in high-density living conditions, which can result in skin infections, pneumonia (noo MOH nyuh), or meningitis. These staphylococci are often strains of bacteria that are resistant to many current antibiotics and can be difficult to treat.




Figure 7 The graph shows the reported incidence of penicillin-resistant gonorrhea in the U.S. from 1980–1990.

For example, MSRA, or methicillin-resistant *Staphylococcus aureus*, is a type of bacteria that is a common cause of infections in hospitals and other healthcare facilities. It is spread by direct contact, usually from the contaminated hands of healthcare providers.

Streptococcus pneumonia is another bacterium that has become resistant to antibiotics. This bacterium causes pneumonia, sinus infections, and infections in the bloodstream. The bacterium that causes tuberculosis, a respiratory infection, can be resistant to the initial antibiotics used to treat the infection. In these cases, different medications are used to treat the infection, but it takes more time and can be more expensive. Scientists are continually researching solutions to treat antibiotic-resistant bacteria.

Q #17 & #28

17

BIO.3.1.01.087 Differentiate between bacterial sensitivity and resistance to antibiotics

Information from text

10

28

BIO.3.1.01.087 Analyze the increase in the occurrence of antibiotic-resistant bacteria

Information from text

Figure 7

10-11

5. Which substance is secreted by the mold *Penicillium*?

☐ anthrax

☐ gentamicin

☐ influenza

☒ penicillin
CORRECT

2. Why is antibiotic resistance a serious problem for doctors when treating diseases such as gonorrhea, MRSA, and tuberculosis?

- A. Resistant bacteria may no longer be killed or controlled by some antibiotics.
- B. Antibiotics become stronger each time they are used.
- C. Resistant bacteria only affect people with genetic disorders.
- D. Antibiotics can only treat diseases caused by viruses.

Answer: A

1. Which statement best describes an antibiotic?


- A. A toxin produced by viruses to damage body cells
- B. A type of vaccine that prevents all infectious diseases
- C. A substance that can kill or inhibit the growth of microorganisms
- D. A pathogen that invades cells and multiplies inside them

Answer: C


Penicillin resistant gonorrhea increased most rapidly between which two years?

- a. 1981 and 1982
- b. 1988 and 1989**
- c. 1989 and 1990
- d. 1980 and 1981

Resistance of Gonorrhea to Penicillin



Q #19, #20 & #21



19	BIO.3.1.01.088 Discuss the bodies nonspecific defenses to include first line of defense (barriers) and second line of defense (cellular defense, interferons and inflammatory response)	Information from text 'Get it' question	13
20	BIO.3.1.01.088 Discuss the bodies nonspecific defenses to include first line of defense (barriers) and second line of defense (cellular defense, interferons and inflammatory response)	Information from text	13
21	BIO.3.1.01.088 Differentiate between specific and nonspecific immune responses	Information from text	12-13-14

Nonspecific Immunity

At the time of birth, the body has a number of defenses in the immune system that fight off pathogens. These defenses are nonspecific because they are not aimed at a specific pathogen. They protect the body from any pathogen that the body encounters.

The nonspecific immunity provided by the body helps to prevent disease. Nonspecific immunity also helps to slow the progression of the disease while the specific immunity begins to develop its defenses. Specific immunity is the most effective immune response, but nonspecific immunity is the first line of defense.

Barriers

Like the strong walls of a fort, barriers are used by the body to protect against pathogens. These barriers are found in areas of the body where pathogens might enter.

Skin barrier The first major line of defense is the unbroken skin and its secretions. Skin contains layers of living cells covered by many layers of dead skin cells. By forming a barrier, the layers of dead skin cells help protect against invasion by microorganisms. Of the many different types of bacteria that normally live on the skin, most have little or no effect on our health. Many of the bacteria that live symbiotically on the skin digest skin oils to produce acids that inhibit many pathogens. **Figure 8** shows bacteria that are normally found on the skin and protect the skin from attack.




Figure 8 These bacteria are found on human skin and provide protection from pathogens.

■ **Barriers** are found in areas of the body where pathogens might enter

:

- Skin barrier (physical)
- Chemical barriers.

Dead skin cells help protect against invasion by microorganisms. Bacteria that live symbiotically on the skin digest skin oils to produce acids that inhibit many pathogens.

Q #19, #20 & #21

19	BIO.3.1.01.088 Discuss the bodies nonspecific defenses to include first line of defense (barriers) and second line of defense (cellular defense, interferons and inflammatory response)	Information from text 'Get it' question	13
	es nonspecific defenses to include first line of defense (barriers) and second line of defense (cellular defense, interferons and inflammatory response)	Information from text	13
	reen specific and nonspecific immune responses	Information from text	12-13-14

Chemical barriers Saliva, tears, and nasal secretions contain the enzyme lysozyme. Lysozyme breaks down bacterial cell walls, which kills pathogens.

Another chemical defense is mucus, which is secreted by many inner surfaces of the body. It acts as a protective barrier, blocking bacteria from sticking to the inner epithelial cells. Cilia also line the airway. Their beating motion sends any bacteria caught in the mucus away from the lungs. When the airway becomes infected, extra mucus is secreted, which triggers coughing and sneezing to help move the infected mucus out of the body.

A third chemical defense is the hydrochloric acid secreted in your stomach. In addition to digestion, stomach acid kills many microorganisms found in food that could cause disease.

Get It?
Compare and contrast the different types of barriers of the immune system.

Nonspecific responses to invasion

Even if an enemy gets through the walls of a town's fort, defense doesn't end. Similarly, the body has nonspecific immune responses to pathogens that get beyond its barriers.

Cellular defense If foreign microorganisms enter the body, the cells of the immune system, shown in Table 2, on the next page, defend the body. One method of defense is phagocytosis. White blood cells, especially neutrophils and macrophages, are phagocytic. Recall that phagocytosis is the process by which phagocytic cells surround and internalize the foreign microorganisms. The phagocytes then release digestive enzymes and other harmful chemicals from their lysosomes, destroying the microorganism.

A series of about 20 proteins that are found in the blood plasma are called complement proteins. **Complement proteins** enhance phagocytosis by helping the phagocytic cells bind better to pathogens and activating the phagocytes. Some complement proteins can form a complex in the plasma membrane of a pathogen. This complex forms a pore, which aids in the destruction of the pathogen, as shown in Figure 9.




Figure 9 For some pathogens, complement proteins can form a pore in the plasma membrane of the invading cell.

Interferon When a virus enters the body, another cellular defense helps prevent the virus from spreading. Virus-infected cells secrete a protein called **interferon**. Interferon binds to neighboring cells and stimulates these cells to produce antiviral proteins which can prevent viral replication in these cells.

Inflammatory response Another nonspecific response, the inflammatory response, is a complex series of events that involves many chemicals and immune cells that help enhance the overall immune response. When pathogens damage tissue, chemicals are released by both the invader and cells of the body. These chemicals attract phagocytes to the area, increase blood flow to the infected area, and make blood vessels more permeable to allow white blood cells to escape into the infected area.

Chemical barriers

Saliva, tears, and nasal secretions contain the enzyme lysozyme. Lysozyme breaks down bacterial cell walls, which kills pathogens. Mucus acts as a protective barrier, blocking bacteria from sticking to the inner epithelial cells.

Nonspecific Immunity

2nd: non-specific responses


Non-specific




to Invasion

The body has nonspecific immune responses to pathogens that **get beyond its barriers**.


■ Cellular defense




■ Interferon



■ Inflammatory response



Q #19, #20 & #21



BIO.3.1.01.088 Discuss the bodies nonspecific defenses to include first line of defense (barriers) and second line of defense (cellular defense, interferons and inflammatory response)

Information from text
'Get it' question

13

.01.088 Discuss the bodies nonspecific defenses to include first line of defense (barriers) and second defense (cellular defense, interferons and inflammatory response)

Information from text

13

.01.088 Differentiate between specific and nonspecific immune responses

Information from text

12-13-14

What if pathogens get past the barriers?

When pathogens get through the barriers, the body's nonspecific immunity continues the defense.

Cellular Defense If foreign microorganisms enter the body, the cells of the immune system defend the body. One defense is phagocytosis by which white blood cells, especially neutrophils and macrophages, engulf and absorb foreign microorganisms. The phagocytes then release chemicals that destroy the microorganisms. Blood plasma contains approximately 20 complement proteins. **Complement proteins** aid phagocytosis by helping phagocytes bind more efficiently to pathogens, activating the phagocytes and enhancing the destruction of the pathogen's membrane. Phagocytes are activated by materials in the bacteria's cell walls.

Interferon When a virus enters the body, interferon helps prevent the virus from spreading. Interferon is a protein secreted by virus-infected cells. Interferon binds to neighboring cells and causes these cells to produce antiviral proteins. Antiviral proteins can prevent virus cells from multiplying.

Inflammatory Response When pathogens damage tissue, both the invading pathogen and the cells of the body release chemicals. These chemicals attract phagocytes, increase blood flow to the infected area, and make blood vessels more permeable to allow white blood cells to escape into the infected area. The result is an accumulation of white blood cells to fight the infection. Pain, heat, and redness in the infected area are the result of the inflammatory response.


Q #19, #20 & #21

3. Which is the first defense your body has against infectious disease?

☒ the helper T cell ☒ your skin **CORRECT**

☒ an antibody ☒ phagocytosis

What specific immune response is being enhanced by the process shown here?



- ☐ A) T cell activation
- ☐ B) phagocytosis
- ☐ C) interferon binding
- ☐ D) lysozyme secretion

Correct Answer

B) phagocytosis

19	BIO.3.1.01.088 Discuss the bodies nonspecific defenses to include first line of defense (barriers) and second line of defense (cellular defense, interferons and inflammatory response)	Information from text 'Get it' question	13
	nonspecific defenses to include first line of defense (barriers) and second line of defense (cellular defense, interferons and inflammatory response)	Information from text	13
	n specific and nonspecific immune responses	Information from text	12-13-14

4. Complement proteins are found in the plasma. What is their role in the immune response?

- ☒ enhance phagocytosis ☒ enhance destruction of a pathogen
- ☒ activate phagocytes ☒ all of the above **CORRECT**

Which is **true** of nonspecific immunity?

- A. It takes time to develop.
- B. It involves helper T cells.
- ☒ C. It is the first line of defense.
- D. It is the most effective immune response.



Akeia.Selvon@moe.sch.ae

Why are immunizations effective in preventing disease? The characteristics of the secondary immune response, which is the response to a second exposure to an antigen, enable immunizations to be effective in preventing disease. Study the graph in **Figure 13**. Note that the secondary response to the antigen has a number of different characteristics. First, the response is more rapid than the primary response, as shown by the greater steepness in the portion of the curves plotted in red. Second, the overall response, both B and T cell response, is greater during the second exposure. Lastly, the overall memory lasts longer after the second exposure.

Get It?
Analyze how immunizations help prevent disease.

Immune System Failure

Defects in the immune system can result in an increased likelihood of developing infectious diseases as well as certain types of cancers. Some diseases can affect the immune system's effectiveness. One such disease called acquired immunodeficiency syndrome (AIDS) results from an infection by human immunodeficiency virus (HIV). AIDS is a serious health problem worldwide.

In 2015, approximately 18,303 AIDS cases were diagnosed in the U.S. In 2014, 6,721 people died of AIDS in the U.S. In 2015, an estimated 36 million people globally were living with HIV infection.

Recall the important role that helper T cells play in specific immunity. T cells are also called CD4⁺ cells because these cells have a receptor on the outside of their plasma membrane. This CD4⁺ receptor is used by medical professionals to identify these cells, as illustrated in **Figure 14**.

HIV is an RNA virus that infects helper T cells. The helper T cells become HIV factories, producing new viruses that are released and infect other helper T cells. Over time, the number of helper T cells in an infected person decreases, making the person less able to fight disease. HIV infection usually has an early phase during the first six to twelve weeks while viruses are replicating in helper T cells.




Figure 13 This graph shows the difference between the primary and secondary immune responses to exposure to an antigen.
Analyze the differences between the primary and secondary immune responses.





Figure 14 Helper T cells have receptors on the surface that are used to identify them in the laboratory.

The patient suffers symptoms such as night sweats and fever, but these symptoms are reduced after about eight to ten weeks. Then, the patient exhibits few symptoms for a period of time as long as ten years but is capable of passing the infection through sexual intercourse or blood products.

HIV is a secondary immunodeficiency disease, which means that the immune system of a previously healthy person fails. Without antiviral drug therapy, the patient usually dies from a secondary infection from another pathogen after about ten years of being infected with HIV. Current antiviral drug therapy is aimed at controlling the replication of HIV in the body. Resistant strains, expensive drugs, and side effects are all issues that patients face. Researchers and health care providers are working to meet these needs and continue the search for a cure.



The stages of HIV infection

- 1-HIV infects mainly helper T cells(CD4+).
- 2- helper T cells produce new viruses that are released and infect other helper T cells .
- 3- helper T cells dies, helper T cells number decrease over the time .

What is the result?

Making the person less able to fight disease.

1. Why does HIV weaken the immune system?

- A. It causes helper T cells to produce new viruses instead of supporting immune responses.
- B. It increases the number of helper T cells in the blood.
- C. It only infects red blood cells and prevents oxygen transport.
- D. It produces antibiotics that stop white blood cells from working.

Answer: A

2. A person infected with HIV has a decreasing number of helper T cells. What is the most likely effect on the body?

- A. The body will produce more toxins.
- B. The person will become immune to all pathogens.
- C. The immune system will become less effective at fighting infections.
- D. The body will stop producing red blood cells.

Answer: C



Q #25, #26 & #30

25	BIO. 3.1.01.087 Differentiate between the five categories of noninfectious diseases, in terms of cause and examples	Information from text	22
26	BIO. 3.1.01.087 Infer why cancer is life threatening	Information from text	22
30	BIO.3.1.01.087 Differentiate between inflammatory response and inflammatory disease	Information from text	22

However, a degenerative condition, such as degenerative arthritis, could occur sooner than would be expected if the person is genetically predisposed to the disease or if the person's joints have experienced an increased amount of wear and tear. Degenerative arthritis is common; most people have it by age 70. It is found in almost all vertebrate animals. Arteriosclerosis (ar tir ee oh skl uh ROH sus), which is a hardening of the arteries, is another example of a degenerative disease. Because degenerative diseases also have a genetic component, some individuals might be more likely to develop such a disease because of their genetic makeup.

Metabolic Diseases

Metabolic disease results from an error in a biochemical pathway. Some metabolic diseases result in the inability to digest specific amino acids or to regulate body processes. The condition known as phenylketonuria (PKU) is an inherited disorder that creates the inability to break down part of a protein called phenylalanine. When the pancreas does not make the proper amount of insulin and glucose does not enter body cells normally, the condition is known as Type 2 diabetes. This results in high glucose levels in the bloodstream, which causes damage to many organs including the kidneys and the retinas of the eyes. Metabolic diseases can have a genetic component but also can involve environmental factors such as diet.

Cancer

Cancer is characterized by abnormal cell growth. Normally, certain regulatory molecules in the body control the beginning and end of the cell cycle. If this control is lost, abnormal cell growth results that could lead to various types of tumors, as shown in **Figure 16**. The abnormal cells can interfere with normal body functions and can travel throughout the body. Cancer can develop in any body tissue or organ, including the blood cells. Cancer in the blood cells is called leukemia. Both genetic and environmental factors have been shown to cause cancer.

HISTORY Connection Cancer is a disease that has affected humans since ancient times. Egyptian mummies show evidence of bone cancer, and ancient Greek scientists described different kinds of cancer. Medieval manuscripts have reported details about cancer.

Inflammatory Diseases

Inflammatory diseases, such as allergies and autoimmunity, are diseases in which the body produces an inflammatory response to a common substance. Recall from Lesson 2 that infectious diseases also result in an inflammatory response. However, the inflammatory response in an infectious disease enhances the overall immune response. This inflammatory response is a result of the immune system removing bacteria or other microorganisms from the body. In inflammatory disease, the inflammatory response is not helpful to the body.




Figure 16 Cancer is due to an abnormal increase in cell division in the body, resulting in a tumor such as this skin tumor.

Infer why this growth is so life-threatening.

Q #25, #26 & #30







25	BIO. 3.1.01.087 Differentiate between the five categories of noninfectious diseases, in terms of cause and examples	Information from text	22
26	BIO. 3.1.01.087 Infer why cancer is life threatening	Information from text	22
30	BIO.3.1.01.087 Differentiate between inflammatory response and inflammatory disease	Information from text	22

Metabolic Diseases

- Results from an error in a biochemical pathway.
- Can have a genetic component, also involve environmental factors such as diet.
- Result in :- the inability to digest specific amino acids. or to regulate body processes.
- Example :
Type 2 diabetes

Result in high glucose levels in the blood stream.

Cause damage to many organs (kidney/retinas of the eyes)



Q #25, #26 & #30



25	BIO. 3.1.01.087 Differentiate between the five categories of noninfectious diseases, in terms of cause and examples	Information from text	22
26	BIO. 3.1.01.087 Infer why cancer is life threatening	Information from text	22
30	BIO.3.1.01.087 Differentiate between inflammatory response and inflammatory disease	Information from text	22

Cancer Is characterized by abnormal cell growth.

Explain the cause of cancer?

There are regulatory molecules in the body control the beginning and end of the cell cycle.

If this control is lost, abnormal cell growth may occur (tumors)





Abnormal cells can

interfere with normal body function

travel throughout the body

Develop in any body tissue or organ



04-2062377



Akeia.Selvon@moe.sch.ae

Q #25, #26 & #30

25	BIO. 3.1.01.087 Differentiate between the five categories of noninfectious diseases, in terms of cause and examples	Information from text	22
26	BIO. 3.1.01.087 Infer why cancer is life threatening	Information from text	22
30	BIO.3.1.01.087 Differentiate between inflammatory response and inflammatory disease	Information from text	22

Inflammatory Diseases


- Are diseases in which the body produces an inflammatory response to a common substance.

Example:

Allergies / Autoimmunity

Compare inflammatory response in an infectious disease and noninfectious disease?

infectious disease	noninfectious disease
-response to microorganisms infect the body. -enhances the overall immune response.	-response to a common substance. -not helpful to the body.




cell

food (nutrients)

energy (ATP)

normal cell division



rapid irregular cancer cell division



Metabolic - Chemical processes in living organisms essential to maintain life.

Cancer - Disease where cells divide uncontrollably, damaging nearby tissues.

Inflammatory Disease - Immune system attacks body tissues, causing pain.

Q #25, #26 & #30

25	BIO. 3.1.01.087 Differentiate between the five categories of noninfectious diseases, in terms of cause and examples	Information from text	22
	is life threatening	Information from text	22
	een inflammatory response and inflammatory disease	Information from text	22

2. Which type of noninfectious disease is defined as a problem in a biochemical pathway in the body?

-  inflammatory disease
-  degenerative disease
-  **B** metabolic disease
CORRECT
-  cancer

1. Why can cancer be life-threatening?

- A. Cancer cells only remain in one small area of the body.
- B. Cancer cells always help repair damaged tissues.
- C. Cancer cells can grow abnormally, interfere with body functions, and spread throughout the body.
- D. Cancer cells are caused only by infectious pathogens.

2. Which statement best compares a normal inflammatory response with an inflammatory disease?

- A. A normal inflammatory response helps fight disease, while an inflammatory disease is an unhelpful response to a common substance.
- B. A normal inflammatory response causes cancer, while inflammatory disease prevents tumors.
- C. A normal inflammatory response only occurs in blood cells, while inflammatory disease only occurs in bones.
- D. A normal inflammatory response is caused by abnormal cell growth, while inflammatory disease is caused by leukemia.

Answer: A



Autoimmunity

During the development of the immune system, the immune system learns not to attack proteins produced by the body. However, some people develop autoimmunity (aw toh ih MYOON ih tee) and do form antibodies to their own proteins, which injures their cells. **Figure 17** shows the hands of a person with rheumatoid arthritis—a form of arthritis in which antibodies attack the joints. Degenerative arthritis, the form of arthritis that you read about earlier in the section on degenerative diseases, is not caused by autoimmunity.


Rheumatic fever and lupus (LEW pus) are other examples of autoimmune disorders. Rheumatic fever is an inflammation in which antibodies attack the valves of the heart. This can lead to damage to the heart valves and cause the valves to leak or not close properly as blood moves through the heart. Lupus is a disorder in which autoantibodies are formed and attack healthy tissue. As a result, many organs are vulnerable to attack by the body's own immune system.



Figure 17 The large knobs and deformities of these fingers are due to rheumatoid arthritis, an autoimmune disease.

Which of the following diseases is shown in the picture below?

مرض التالية توضحه الصورة أدناه؟



Learning Outcomes Covered

- BIO.3.1.01.087
- BIO.3.1.01.089
- BIO.3.4.01.033
- BIO.3.4.01.042

a.

Rheumatoid arthritis

b.

Tetanus

c.

Sickle-cell disease

d.

Allergy



Which occurs when an immune system forms antibodies to its own proteins?

- A acquired immunity
- B allergies
- C **autoimmune disease**
- D anaphylactic shock

When some medical tests were done on a person, it was found that he was suffering from an inflammation in which the antibodies were attacking the heart valves, resulting in damage, leakage, and affecting the valves' ability to close properly during blood movement across the heart. Which disease would you expect this person to have?

Rheumatic fever

Lupus


Arteriosclerosis

Angina pectoris

The term...**autoimmunity**...is used to describe the immune system attacking the body's own cells.

3. This photo demonstrates which disease?

- a) Tetanus
- b) **rheumatoid arthritis**
- c) sickle-cell disease
- d) allergy



1. Which autoimmune disease can be indicated by large knobs on joints and deformities of joints?

☐ tetanus

☐ sickle-cell disease

☒ **c rheumatoid arthritis** **CORRECT**

☐ allergy

Academic Year	2025-2026
العام الدراسي	
Term	3
الفصل	
Subject	Biology/Inspire - C
المادة	الاحياء/الانسبير
Grade	12
الصف	
Stream	Advanced
المسار	المتقدم
Number of MCQ	30
عدد الاسئلة الموضوعية	
Marks of MCQ	(3-4)
درجة الاسئلة الموضوعية	



SUCCESS IS NO ACCIDENT.

It is hard work, perseverance, learning, studying, sacrifice, and most of all, love of what you are doing.

