#### مراجعة نهائية وفق الهيكل الوزاري منهج انسباير بدون الحل





#### تم تحميل هذا الملف من موقع المناهج الإماراتية

موقع المناهج ← المناهج الإماراتية ← الصف التاسع المتقدم ← فيزياء ← الفصل الأول ← ملفات متنوعة ← الملف

تاريخ إضافة الملف على موقع المناهج: 11-15-22:22

ملفات اكتب للمعلم اكتب للطالب ا اختبارات الكترونية ا اختبارات ا حلول ا عروض بوربوينت ا أوراق عمل منهج انجليزي ا ملخصات وتقارير ا مذكرات وبنوك ا الامتحان النهائي ا للمدرس

المزيد من مادة فيزياء:

إعداد: Alshakhatreh Adnan

#### التواصل الاجتماعي بحسب الصف التاسع المتقدم











صفحة المناهج الإماراتية على فيسببوك

الرياضيات

اللغة الانجليزية

اللغة العربية

التربية الاسلامية

المواد على تلغرام

المزيد من الملفات بحسب الصف التاسع المتقدم والمادة فيزياء في الفصل الأول	
حل مراجعة نهائية شاملة وفق منهج انسباير	1
مراجعة نهائية شاملة وفق منهج انسباير	2
حل تجميعة مراجعة نهائية وفق الهيكل الوزاري منهج انسباير	3
تجميعة مراجعة نهائية وفق الهيكل الوزاري منهج انسباير	4
كراسة تدريبية مراجعة وفق الهيكل الوزاري الجديد منهج بريدج	5

# Abu Dhabi Secondary School Physics Department Grade 9 Advanced Physics EOT revision

Term 1

2025/2026

Prepared by: Adnan Alshakhatreh

Student name:

Class/section

9/\_\_\_\_\_

#### Circle the correct answer:

1- The following is a statement that describes something that happens in nature and seems to be true in all cases.			
a. Scientific Theory			
b. Scientific Law			
c. Hypothesis			
d. prototype			
2. What is the basic unit of time?			
a. second			
b. minute			
c. hour			
d. day			
3- How many significant numbers are in the measurement 2.002m?			
a.2			
b. 3			
2026 c.4 2025			
d.5			
E B			
4. Which of the following prefixes is major?			
a. Years			
b. Fill			
c. Desi			
d. Kilo			
5- The variable is the factor that is altered or			
manipulated. A dependent variable is a factor that depends on an independent variable.			
a. Control			
b. Independent			
C. Hypothesis			
d. Theory			

The table below shows three trials for measuring the height of a book done by four different students, if you know that the true length for the book (30.3cm), answer questions (6 and 7).

Student	Trial 1	Trial 2	Trial 3
Ahmed	29.0	31.1	33.9
Rashid	30.4	30.1	30.2
Saod	32.5	32.4	32.5
Salem	34.1	29.8	26.9

#### 6. Which students had the most precise measurements?

a. Ahmed

b. Salem

c. Rashed

d. Saod

#### 7. Which student has the most accurate measurements?

a. Ahmed

b. Salem

c. Rashed

d. Saod

The figure shows the movement of a toy car, depending on the figure answer questions (8 and 9).



#### 8. What is this diagram called?

a. All Photos

b. Consecutive Images

c. Magnifying Model

d. Particle Model

#### 9. Which is the following correct description of the movement of a toy car?

a. Its speed is increasing

b. Its speed is decreasing


c. Its speed is constant

d. Do not move

## 10- According to the relationship $(\frac{x}{y} = constant)$ If x and y are plotted in a graph, the graph will be:


- a. Straight lines.
- b. curved line
- c. positive line
- d. circle





- a. Time
- b. Displacement
- c. Speed
- d. Acceleration

### 12- In the graph below, which line represents an object in motion where its acceleration is zero and its velocity is negative?



a


b

С


d

e

Depending on the position-time graph, for an insect moving east, answer questions (13 and 14).




- 13. What time did the insect reach a distance of 8.0 m starting from the starting point?
  - a. 6.0s
  - b. 5.0s
  - c. 3.0s
  - d. 1.0s
- 14. What does the slope of the line represent?
  - a. Accelerated
  - b. speed
  - c. time
  - d. Displacement
- 15- Based on the velocity-time graph of a car moving in a straight line, which of the following is correct?



- A. The car's velocity is increasing uniformly.
- B. The car's acceleration is negative.
- C. The car's acceleration is positive.
- D. The car is moving at constant velocity.

The adjacent figure represents the velocity-time graph, so that it describes the movement of Mohammad heading towards the club.



Answer paragraphs (16 and 17).

16. During which time periods (A, B, C, D) is Mohammad's acceleration positive?


A
B
C

D

17- During which time periods (A, B, C, D) is the acceleration of Mohammad zero?

A and C
B and C
D and C
A and B

18- Sara starts at  $X_1 = 30$  m and walks to the left to the point  $X_2 = 10$  m. What is Sara's displacement?




A. 40m

B. 20m

C.-20m


D.-10m

- 19- A bus starts at rest and accelerates at 4.5 m/s<sup>2</sup> after a traffic light turns green. How far will it have gone when it is traveling at 30 m/s?
  - A. 6.7m
  - B. 200m
  - C. 100m
  - D. 80m
- 20- A horse slows from **36 m/s** to **15 m/s** over **3.0 s**. What is its average acceleration?
  - A. 21 m/s<sup>2</sup>
  - B. 7 m/s<sup>2</sup>
  - C. -7 m/s<sup>2</sup>
  - D. -21 m/s<sup>2</sup>
- 21- What is the area of a square sheet of paper with a dimension of 3.6 cm by 3.6 cm considering the correct number of significant figures?
  - A. 12.9 cm<sup>2</sup>
  - B. 12.96 cm<sup>2</sup>
  - C. 13.0 cm<sup>2</sup>
  - D. 13 cm<sup>2</sup>
- 22- In the graph, a toy car rolls from position +3 m to +8 m. Which of the following statements is true?



- A.  $\Delta x = +3m$
- B.  $x_i = +3m$
- C.  $x_f = +3m$
- D.  $v_{avg} = 3m/s$
- 23- How far can a cyclist travel in 2.5 h along a straight road if his average velocity is 18 km/h?
  - A. 0.14 km
  - B. 7.2km
  - C. 20.5 km
  - D. 45 km

24- Using the motion diagram of a racing car, what is the average acceleration of the car?



- A. -3 m/s<sup>2</sup>
- B. -2 mls<sup>2</sup>
- C. 4 m/s<sup>2</sup>
- D. -4 m/s<sup>2</sup>


25- A car is initially at rest. If it accelerates uniformly at 2 m/s<sup>2</sup> for 4 seconds, what is its final velocity?

- A. 16 m/s
- B. 2 m/s
- C. 8 m/s
- D. 4 m/s

26- Which of the following is **NOT** an example of accelerated motion?

- A. A boulder falling off a cliff in a straight path.
- B. A cyclist moving in a straight line at a constant speed.
- C. An airplane taking off on a straight runway.
- D. A ball being thrown straight up.


27- Which statement correctly describes the motion of the girl in the motion diagram below?




- A. The girl is slowing down in the positive direction.
- B. The girl is speeding up in the positive direction.
- C. The girl is speeding up in the negative direction.
- D. The girl is slowing down in the negative direction.

#### 28- Which statement about drawing vectors is true?


- A. All quantities in physics are vectors.
- B. You need a vector diagram to solve all physics problems properly.
- C. A vector is a quantity that has a magnitude but no direction.
- D. The vector's length should be proportional to its magnitude.
- 29- A bus is moving along a straight line and its velocity-time graph is shown below. What is the total distance travelled by bus during the first **5 seconds** of motion?




- A. 260m
- B. 1.5 m
- C. 100m
- D. 180m
- 30- The figure shows the velocity-time graph of a car's motion. At what time the instantaneous velocity of the car was 6.0 m/s?




- A. t = 3.5 s
- B. t = 3.0 s
- C.t = 4.0 s
- D.t = 2.5 s







В.



C.


Aelocit Time


32- Four groups of students A, B, C and D measured the mass of a golf ball, each in three trials, and recorded their measurements in the table below. The correct mass measurement of the ball is **40.0g**. Which group's measurements are both accurate and precise?




	Trial 1	Trial 2	Trial 3
A	36.6 g	36.3 g	36.5 g
В	35.8 g	40.0 g	38.7 g
C	39.8 g	40.1 g	39.7 g
D	41.1 g	40.9 g	41.2 g

- 33- How many significant figures are in the number 0.00160?
  - A. 3
  - B. 4
  - C. 2
  - D. 5
- 34- Which of the following graphs represents an inverse relationship?








37- The table below describes the velocity of four objects A, B, C and D in terms of its magnitude and direction. Which of the objects is accelerating?

	مقدار السرعة	اتجاه السرعة
	Velocity magnitude	Velocity direction
A	ثابت Constant	ثابت Constant
В	متغير Changing	ثابت Constant
С	ثابت Constant	متغير Changing
D	متغير Changing	متغير Changing

- A. B, C and D only
- B. A and Conly
- C. Band D only
- D. All the objects

38- The graph shows the motions of four runners A, B, C and D. Which runner starts with an initial velocity towards the north, slows down, for an instant has zero velocity, and then moves south with increasing speed?



В

С

D

39- Which of the following numbers is equal to 72.5 cm?

A. 0.725 mm

B. 725 dm

C. 01 .725 m

D. 7.25 X10<sup>-4</sup> km

40- The table represents the position of a car at various times. In which time interval was the runner moving in a constant speed?

Time (s)	Position (m)
0.0	0.0
1.0	5.0
2.0	10.0
3.0	20.0
4.0	30.0
5.0	35.0

A. 
$$t = 2.0s \rightarrow t = 4.0s$$

B. 
$$t = 2.0s \rightarrow t = 4.0s$$

C. 
$$t = 0.0s \rightarrow t = 3.0s$$

D. 
$$t = 2.0s \rightarrow t = 5.0s$$

41- An ant moves a distance of **240** cm in **1** minute. What is the speed of the ant in m/s?



A. 4.0

B. 0.25

C. 25

D. 0.04

42- A truck moves to the east on a straight road. It moves with an average velocity of **60** *km/h* for **1.5** *h*, then continues in the same direction with an average velocity of **100** *km/h* for **2h**. What is the position (displacement) of the truck at the end of the trip?

A. 290 km East

B. 110 km East

C. 160 km East

D. 90 km East

43- Which of the following physical quantities represents a scalar?


A. Time

B. Force


C. Acceleration

D. Displacement


44- Which of the following graphs represents an object moving in a non-uniform motion?




В.




C.



D.



45- Sara is conducting an experiment to determine the density of a liquid. She fills a measuring cylinder several times with a different volume of the liquid and measures the mass of the liquid each time. Sara then, plots the volume on the x-axis and the mass on the y-axis, draws the best fit line and finds the slope which equals the density of the liquid. Which of the following is the independent variable in Sara's experiment?



- A. The mass of the liquid
- B. The density of the liquid
- C. The slope of the line
- D. The volume of the liquid

46- A school bus accelerates from rest at  $1.5 \, m/s^2$ . How much time does the bus take to increase its velocity to  $6.0 \, m/s$ ?

A. 9.0s

B. 0.25s

C. 4.0s

D. 2.0 s

D. Scientific methods
48- What is the average velocity of a truck traveling along a straight path if it displaced (180m) towards east over a time of (9.0s)?
A. (20 m/s) East
B. (12 m/s) East
C. (96 m/s) East
D. (40 m/s) East
nanj.co.
49- Which of the following particle model motion diagrams represent the motion of flying bird in the figure?
A. B. C. D.
50- Ahmed runs towards the football field at speed ( $v_i = 4.50m/s$ ). When he looked at his watch, he noticed that it had extra time before the match start, he slowed down his speed over of 10.0s, to reach a final speed of ( $v_f = 0.95m/s$ ). What is the magnitude of the average acceleration during the (10.0s)?
A. 0.712 m/s <sup>2</sup>
B. 35.5 m/s <sup>2</sup>
C. 1.80 m/s <sup>2</sup>
D. 0.355 m/s <sup>2</sup>
Prepared by: Adnan Alshakhatreh AbuDhabi Secondary School

47- Which of the following terms represent steps that scientists take to


A. Scientific law

B. Hypothesis

C. Theory

investigate or solve a particular problem?

51- A cat descended from the top of a **2.5-m** wall at a constant speed in **15s** and remained on the ground motionless for a period of **25s**. then jumped up to a box with a height **(1.25m)** within **2s**. Suppose all speeds are constant. Which of the following graphs represents the movement of the cat?



52- A car moves from the starting point to the right at a variable speed and in a straight line until it reaches the finish point, as shown in the figure. Which of the following statements is true for the movement of the car?




- A. Velocity and acceleration remain constant in magnitude, and both are directed to the right
- B. Speed decreases and acceleration is directed to the right
- C. Speed decreases and acceleration is directed to the left
- D. Speed increases and acceleration is directed to the left

53- Based on the equation:  $[y = (3.0 \text{ m/s}) + (X \times 2.0 \text{ s})]$ 

What is the physical quantity represented by the symbol X, and what is its unit of measurement in (SI-units)?

- A. Length (m)
- B. Time (s)
- C. Velocity (m/s)
- D. Acceleration (m/s²)

54- How many	significant figures are in the measurement (10.005m)?
	A. 5
	B. 3
	C. 2
	D. 4



56- The arrows in the image represent three measurements taken by a scientist during an experiment. Depending on the following picture, which of the following statements is correct regarding accuracy and accuracy?



- A. Measurements are accurate but not precise
- B. Measurements are precise and accurate
- C. Measurements are not precise and not accurate
- D. Measurements are precise but not accurate
- 57- The shape represents two vectors, the first is (8m) long towards east and the second is long (5m) towards west.


  What is the sum of the two vectors?

  A. (3 m) East
  B. (13 m) West
  C. (3 m) West
  D. (13 m) East

58- For a moving object that changes its position over time, the final position minus the initial position is .........

- A. Acceleration
- **B.** Velocity
- C. Displacement
- D. Time interval

59- The figure shows the velocity-time graph of a moving object. What is the average acceleration of the object during the time interval between (t=2.0s) and (t=4.0s)?




- A. (+5.0) m/s<sup>2</sup>
- B. (+15) m/s<sup>2</sup>
- C. (+11) m/s<sup>2</sup>
- D. (0.0) m/s<sup>2</sup>

#### **Writing part**

Q1: A car accelerates from rest at 5 m/s<sup>2</sup> for 5 seconds. It moves with a constant velocity for 10s and then slows down at 5 m/s<sup>2</sup> to come to rest again. The entire journey takes 20 seconds.

Plot the velocity-time graph of the motion considering the following:


- 1. Write the graph title.
- 2. Label both the horizontal and vertical axis.
- 3. Draw the best-fit straight line or curve of the motion.




- Q2: The given table shows the positions of a cat in different times.

  Plot the position versus time graph of the cat's motion considering the following:
  - 1. Write the graph title
  - 2. Label both the horizontal and vertical axis
  - 3. Draw the best-fit straight line or the curve for the motion


Time (s)	Position (m)	
0.0	0.0	
2.0	1.0	
4.0	2.0	
6.0	3.0	
8.0	4.0	
10.0	5.0	




Q3: a. Match the graph with the correct mathematical relationship below:



$$y = 3x^2 + 2x + 1$$



$$y = \frac{10}{x}$$



$$y = 2x + 2$$


b. Find the slope of the line in the first graph.

Q4: In a lab experiment, to determine the relationship between the elongation of a spring and the attached mass, what is the independent variable and the dependent variable?

A. Independent Variable: \_\_\_\_\_

B. Dependent Variable: \_\_\_\_\_

Q5: The graph represents the motion of two runners, (A) and (B).



- a. How long had runner B already been running when runner A started to run?
- b. How long had runner B been running when he was 10 km away from his starting point? \_\_\_\_\_
- c. Which runner is slower? \_\_\_\_\_
- d. What happens at point P?\_\_\_\_\_
- e. How far did runner A cover within 45 minutes of starting his motion?

Q6: An object moves with an initial velocity (vi) and constant acceleration (a) in the period (t), then its final velocity (vi) is given by the expression:

$$v_f = v_i + a\Delta t$$

a. Rewrite the equation to find the time t in terms of initial velocity, final velocity, and acceleration.

b. Find the initial velocity v, of the object if  $a=-2m/s^2$ ,  $v=25\ m/s$ ,

and t=3s.

Q7: An object has an initial velocity ( $v_i$ ) and constant acceleration (a). If the object's displacement is  $\Delta x$ , then its final velocity ( $v_f$ ) is given by the expression:

$$v_f^2 = v_i^2 + 2a\Delta x$$

a. Rewrite the equation to find the displacement in terms of initial velocity, final velocity, and acceleration.

b. Find the initial velocity of the object if  $v_f=25~m/s$ ,  $a=-2~m/s^2$ , and  $\Delta x=20m$ .

\_\_\_\_anani.com\_

Q8: Classify the following physical quantities into vector and scalar quantity.

Acceleration: \_\_\_\_\_


Displacement: \_\_\_\_\_

Distance:

Time:

Q9: Two drivers- driver (A) and driver (B)- are traveling in opposite directions on a long, straight road at different constant velocities.

Their motions are represented by the position-time graph as shown below.



- a. How long had driver A already been driving when driver B started to drive?
- b. How long had driver (A) been driving when he was 60 km away from his starting point?
- c. Which driver is faster?
- d. What happens at point P?
- e. What is the position of driver (B) one hour after he has started moving?

Q10: Complete the adjacent graphic organizer. By putting the appropriate term(s) in its proper place.

Use the following terms:


Form a hypothesis

**Analyse data** 

**Gather information** 

Test the hypothesis

**Draw conclusions** 




_	Calculate the distance travelled by car in 12 minutes, if its speed is 30 km/h?

- Q12: The speed of an object is the distance travelled by an object per unit of time.
  - a. What is the unit of velocity in the International System of Units?
  - b. Is the unit of velocity a basic unit or a derivative?
- Q13: Mahmoud moved a distance of (100m) north and then a distance of (140m) south, calculate the total displacement of Mahmoud?


Q14: The figure shows the position-time graph of the two students.

Mohammed and Salem. They started moving started at the same time and but two different locations.



a.	What is the difference in the displacement between the two children at the start?
h	Identify both the time and location where the two children meet?
	- Time:
	- Location:
c.	Calculate the average speed of Mohammad.
	nahj.co.
	31.
	Calculate how long it would take a bicycle to accelerate at <b>0.40m/s²</b> to each a speed of <b>4.00m/s</b> starting from rest?
	6: 9
Q16:	Hamdan throws a ball vertically upwards at a speed of 20m/s.  a. What is the speed of the ball when it reaches its maximum height?
	b. What is its acceleration?

Q17: The position-time graph in the figure shows two bikes (A and B) starting at the same time from the same position and travelling along a straight path.



a. At what time the bikes A and B meet in the same position during their motion?

b. What are the displacements of each of the two bikes at t=6.0s?	?
Bike A:	
Bike B:	

c. How much time is needed for each bike to make a displacement of 30m from the starting point?

Bike A: \_\_\_\_\_


Bike B:

d. Find the velocity of bike B.

e. What is the velocity of bike A between t=8s and t=12s? Explain your answer.

Q18: Ahmed runs towards east from position A to position B, then he returns back towards west from position B to position C as shown in the figure.

The distance between A and B = 30m, and the distance between B and C = 25m.




C B
a. What is the total distance that Ahmed travelled from A to C?
nanj.co.
b. Draw the following vectors in the space below
- R1: Ahmed's displacement from A to B.
2026 2025
- R2: Ahmed's displacement from B to C.
:
6/11 - 1:01
A Sally
c. Find the magnitude of Ahmed's resultant displacement and identify its
direction.

d. Ahmed takes 12s to run from A to C. Calculate the average velocity of Ahmed when he moves from A to C.

Q19: The velocity-time graph in the Figure describes a car's motion as it moves along the road.

Using the graph, Answer the following:



- a. In which time interval the car was moving with a positive acceleration?
- b. Describe the car's motion between t = 10s and t = 30s.
- c. At what time the car changed its direction?
- d. Calculate the acceleration of the car from t = 40s to t = 60s.

e. Find the displacement of the car from t = 30s to t = 60s.

Q20: An Airbus plane starts its motion on the runway from rest, with a constant acceleration and reaches a velocity of 45 m/s in 20s.



a. Oatt	culate the plane's acceleration.
_	nahj.co
b. Find	I the displacement of the plane during this time interval.
	2026 2025
_	6: 3
_	
	plane should reach a velocity of <mark>80 m/s</mark> before its wheels leave the und.
Hov	w much time the plane needs to reach this velocity (starting from the ginning of motion)?
_	
_	
_	
_	