ملزمة تجميعة أسئلة وفق الهيكل الوزاري منهج بريدج بدون الحل





تم تحميل هذا الملف من موقع المناهج الإماراتية

موقع المناهج ← المناهج الإماراتية ← الصف التاسع العام ← رياضيات ← الفصل الأول ← ملفات متنوعة ← الملف

تاريخ إضافة الملف على موقع المناهج: 21-10-22 2025:39

ملفات اكتب للمعلم اكتب للطالب ا اختبارات الكترونية ا اختبارات ا حلول ا عروض بوربوينت ا أوراق عمل منهج انجليزي ا ملخصات وتقارير ا مذكرات وبنوك ا الامتحان النهائي ا للمدرس

المزيد من مادة رياضيات:

التواصل الاجتماعي بحسب الصف التاسع العام











صفحة المناهج الإماراتية على فيسببوك

الرياضيات

اللغة الانجليزية


اللغة العربية

التربية الاسلامية

المواد على تلغرام

| المزيد من الملفات بحسب الصف التاسع العام والمادة رياضيات في الفصل الأول | |
|---|---|
| تجميعة أسئلة وفق الهيكل الوزاري الجديد منهج ريفيل | 1 |
| نموذج إجابة تجميعة شاملة وفق كامل الهيكل الوزاري منهج بريدج | 2 |
| تجميعة شاملة وفق كامل الهيكل الوزاري منهج بريدج بدون الحل | 3 |
| الخطة الفصلية للدروس المقررة في الفصل الأول منهج ريفيل | 4 |
| الدروس التي تم تحويلها إلى دروس إثرائية للعام 2026-2025 | 5 |







REVEAL

First semester


Year 2025-2026











عمل مشترك بين معلمات من مدارس مختلفة لتبادل الخبرات

| AD | School Name | <u>City</u> |
|---------|--------------------------------|-------------|
| AD.2.1 | Al Dana <mark>t Sc</mark> hool | Al Ain |
| AD.2.11 | Al Resalah Common School | Al Ain |
| AD.1.4 | Salama Bint Bitti School | Abu Dahbi |
| AD.1.7 | Al Khatem school | Abu Dahbi |
| AD.2.6 | Al Mubazarah school | Al Ain |
| AD.2.9 | Al Tomooh School | Al Ain |



البرمجة الزمنية للفصل الدّراسيّ الأول 2025-2026

| تدلسك |
|-------|
| |
| وتعلك |
| |

| الفصل الدراسي | الشهر | Мо | Tu | We | Th | Fr | Sa | Su |
|------------------------|----------------|----|----|----|----|----|-----|----|
| | أغسطس أ | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| | 2025 | 25 | 26 | 27 | 28 | 29 | 30 | 31 |
| | | | | | | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| | سبتمبر | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| | 2025 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| | | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| | | 29 | 30 | | | | | |
| | | | | 1 | 2 | 3 | 4 | 5 |
| | أكتوبر 2025 | 6 | 7 | 8 | 9 | 10 | -11 | 12 |
| | | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| | | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
| الفصل الدراسي الأول | | 27 | 28 | 29 | 30 | 31 | | |
| الأول | نوفمبر 2025 | | | | | | 1 | 2 |
| | | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| | | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| | | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| | | | | | | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| | ديسمبر | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| | 2025 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| | | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| | | 29 | 30 | 31 | | | | |
| | يناير 2026 | | | | | 2 | 3 | 4 |

مواعيد الأجندة الأكاديمية

بداية العام للكادر الإداري و التعليمي بداية العام الدراسي للطلبة

اختبارات نهاية الفصل الدراسي

عطل وإجازات رسمية

رأس السنة الميلادية

| التاريخ | بيان الإجراء |
|--------------------------|--|
| 18 أغسطس 2025 | بداية دوام للكادر الإداري والتعليمي |
| 2025 أغسطس 2025 | التدريب التخصصي للكادر الإداري والتعليمي 1 |
| 2025 أغسطس 2025 | بداية العام الدراسي للطلبة |
| 4 سېتمېر 2025 | إجازة المولد النبوي |
| 15 - 19 سبتمبر 2025 | الاختبار التشخيصي |
| 13 - 19 أكتوبر 2025 | اجازة منتصف الفصل للطلبة |
| 13- 15 أكتوبر 2025 | التدريب التخصصي للكادر الإداري والتعليمي 2 |
| 16 - 19 أكتوبر 2025 | اجازة منتصف الفصل للكادر الإداري والتعليمي |
| 17 - 19 نوفمبر 2025 | الاختبار التجريبي |
| 2025 - 28 نوفمبر 2025 | اختبارات نهاية الفصل الدراسي |
| 2 - 3 ديسمبر 2025 | إجازة اليوم الوطني |
| 4 - 5 دیسمبر 2025 | استئناف اختبارات نهاية الفصل الدراسي |
| 8 دیسمبر – 4 ینایر 2026 | إجازة الشتاء للطلبة |
| 8 – 12 ديسمبر 2026 | التدريب التخصصي للكادر الإداري والتعليمي 3 |
| 8 – 12 دیسمبر 2026 | الاختبارات التعويضية للفصل الدراسي الأول |
| 15 دیسمبر – 4 ینایر 2026 | إجازة الشتاء للكادر الإداري والتعليمي |

Academic

Calendar

Term 1



| It is prohibited | to photocopy or droubte | | | | | |
|---|-------------------------|--|--|--|--|--|
| Analomic Year | | | | | | |
| | anyana | | | | | |
| ,,,,, | | | | | | |
| ten | | | | | | |
| 440 | • | | | | | |
| | | | | | | |
| Cubigan | Methodicals florest | | | | | |
| ш | T FA CHINES | | | | | |
| 94 | | | | | | |
| | | | | | | |
| | | | | | | |
| Grown | Great | | | | | |
| د ستر | , ini | | | | | |
| | | | | | | |
| Number of 1950s Springer House con- | | | | | | |
| 4,444 | | | | | | |
| | | | | | | |
| Hab dum | | | | | | |
| in paintable triage | p.q | | | | | |
| | | | | | | |
| | | | | | | |
| Manager of Big Mind States are | | | | | | |
| | | | | | | |
| | | | | | | |
| Made per FRQ Mind Made objects | purity. | | | | | |
| 000000000000000000000000000000000000000 | | | | | | |
| | | | | | | |
| Type of Military State Other put | MICH SPANISHED TO | | | | | |
| TOTAL PARTY | und rightern a | | | | | |
| | | | | | | |
| | | | | | | |
| Waters Cord State | | | | | | |
| | | | | | | |
| | | | | | | |
| from Section 2 (Sec. 19 Sec. | El minutes | | | | | |
| خربة الشرق مناهجه شيعاك شماة | Saidth ann à Papadousi | | | | | |
| | | | | | | |
| Coloniano | (Barri | | | | | |
| Special DO | Special Control | | | | | |
| | | | | | | |

| ocumen | t . Legal | غانونية الكرمة هند من وخاف ذات. | لدول هذه فوثيقة، وسيتم الحق لإجراءات ف | يُحظر تصوير أوا | | | | |
|-----------------|-----------|--|---|------------------------------------|--|--|--|--|
| $\overline{}$ | | iamber* | A distribution for the Section State (| | | | | |
| - | - | in the contract of the contrac | طريو ن كاب شاب وال. ماالادولون) | | | | | |
| - | | ىكى كىنىزېرىغىۋالەر» اسىرادىنى ** | fumphylar da | Page Selected | | | | |
| | | | 2.42 | | | | | |
| | | Cultur requiritions, by using satisficion and satisface tions | (see | | | | | |
| | | | | | | | | |
| | 2 | Native report term invalving more than one operation | (sea) | - | | | | |
| | | | | | | | | |
| | | Use the Shiritative Property in simplifyroprosites. | Careal | | | | | |
| | | | | | | | | |
| | • | Prace that equals mare blenth learn have no solution | (25/88) | - | | | | |
| | | | (164) | | | | | |
| | • | Evaluat a numer had expressions by who gi he and or of operations. | , | | | | | |
| | _ | I modie lie nur equal izen in singen inter orp i for m | (14) | 286 | | | | |
| | • | | | | | | | |
| | | Construct or Man rate any same or | (60) | 266 | | | | |
| | , | <u></u> | | | | | | |
| | | | (144) | 288 | | | | |
| | Ŀ. | Carolination (Manufacture) | | | | | | |
| | | If cauge in the up super time of equality and identity | (146) | | | | | |
| | Ė | | | | | | | |
| | _ | | (mil) | · · | | | | |
| 1 3 | • | lake properties | | | | | | |
| dia tepapat dia | | Phil | | | | | | |
| ğ | - | Cultur report lam, with the ser hidde an each dall or | (548) | 60 | | | | |
| | | | | | | | | |
| | 10 | Trunds to sen tensorain to equal time. | (404 | 71 | | | | |
| | | | | | | | | |
| | 10 | | (464) | 114 | | | | |
| | | | | | | | | |
| | 246 | Cough and interpret Broar to not law. | (1000) | 216 | | | | |
| | | - At | | | | | | |
| | 18 | i pply translations to literar functions. | (14) | 30 | | | | |
| | | | | | | | | |
| | | Will a cortail caper silens? or algain als cape entires. | (2549) | | | | | |
| | | | (2000) | • | | | | |
| | 10 | Use the Chit Statut Fragor by in evaluate expression m. | (Alleg | | | | | |
| | | - 2 2 | (1149) | 236 | | | | |
| | - | Calculate a and before proteins par | , | | | | | |
| | | then tily and graph it up have been | 4-4 | 265 | | | | |
| | | | | | | | | |
| | - | Salan report larm. By using my Highly role is and dicitie in | Lessed | - | | | | |
| | _ | and the second of the place of the second | | | | | | |
| | 26 | Evaluat a algebrate expression rate; using the order of appeal torus | (comp | | | | | |
| | <u> </u> | | | | | | | |
| | 20 | Calve report term for specific contribites, (CO) | (1960) | 126 | | | | |
| 1 | | | | | | | | |
| 1 | 29 | Calmo request laters. By applying the Citis Maria in Prop. rely. | (2004) | - | | | | |
| i | | | | | | | | |
| | 24 | Cough Sincer has distance by using the an east print excepts. | (see | 216 | | | | |
| | | | | | | | | |
| | 28 | Calculation and letter procinate and changes. | (144) | 205 | | | | |
| | | | | | | | | |
| | - | night appear in a off instant antice into house and a come, are not become departure. | | | | | | |
| • | | | بارخرورة الدعم | د کار النا از ایده دار کا عمار الم | | | | |
| ** | ** | sia do tod body od 105. | | | | | | |
| | | | | الطوط أركاب اطلبتها الد | | | | |





Calendar

Term 1



| 11- | 15 |
|-----|----|
| | _ |

| Solve the following equation: |
|-------------------------------|
| $1)_{11} 0 - 14$ |

c)
$$v = 23$$

Solution:

| | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

d)
$$v = 22$$

b) v = 16

Solve the following equation: 2)
$$44 = t - 72$$

c)
$$t = 11$$

b)
$$t = 116$$

d)
$$t = 16$$

(1-15)

81

Solve the following equation:

3)
$$-61 = d + (-18)$$

a)
$$d = -43$$

c)
$$d = -79$$

Solution:

b) d = 46

d)
$$d = 22$$

Solution:

Solve the following equation: 4) 18 + z = 40

a)
$$t = -22$$

d)
$$t = 16$$

b) z = 22

c) t = 58

Solve the following equation:

5)
$$-4a = 48$$

a)
$$a = -12$$

c)
$$a = 183$$

d)
$$a = 22$$

b) a = 12

6)
$$12t = -132$$

a)
$$t = 110$$

c)
$$t = -110$$

b)
$$t = 11$$

d)
$$t = -11$$

(1-15)

81

7)
$$18 - (-f) = 91$$

a)
$$f = 109$$

c)
$$f = -109$$

b)
$$f = 73$$

d)
$$f = -73$$

Solve the following equation:
8)
$$-16 - (-t) = -45$$

a)
$$t = 61$$

c)
$$t = -61$$

b) t = 29

d)
$$t = -29$$

Solve the following equation:

9)
$$\frac{1}{3}v = -5$$

a)
$$v = 5$$

c)
$$v = -15$$

Solution:

| | | | | | | | | | _ | |
|--|--|--|--|--|--|--|--|--|---|--|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

d)
$$v = 22$$

b) v = 16

Solve the following equation:

10)
$$\frac{u}{8} = -4$$

a)
$$u = 32$$

c)
$$u = 2$$

Solution:

b) u = -32

d)
$$u = -2$$

| _ | | | |
|---|---|---|----|
| | | | |
| г | 7 | 1 | ٠, |
| u | ٠ | • | • |

81

Solve the following equation:

13)
$$\frac{3}{4} = w + \frac{2}{5}$$

a)
$$w = \frac{7}{20}$$

c)
$$w = 23$$

b)
$$w = -\frac{7}{20}$$

d)
$$w = \frac{20}{7}$$

Solution:

Solve the following equation:

14)
$$-\frac{1}{2} + a = \frac{5}{8}$$

a)
$$a = -1\frac{1}{8}$$

c)
$$a = \frac{1}{8}$$

b)
$$a = 1\frac{1}{8}$$

d)
$$a = 8$$

| | | | | ۰ |
|---|----|---|---|---|
| г | ٩. | ۰ | 4 | ı |
| ı | ٠ | г | | |
| | | | | |

81

Solve the following equation:

15)
$$-\frac{t}{7} = \frac{1}{15}$$

a)
$$t = -\frac{7}{15}$$

c)
$$t = \frac{7}{15}$$

Solution:

d)
$$t = -15$$

b)

| | 400 | | | 40 |
|----------|------------|-----------------|-----------|---------------|
| Solve on | III Minnes | III OAN BAILD O | more than | one operation |
| | | | | |

(1-12)

88

1) 3t + 7 = -8

a) t = -5

c) t = 5

on Bedaganom

b) $t = \frac{1}{3}$

d) $t = -\frac{1}{3}$

Solution:

.....

Use property of equality to solve the following equation:

2) 8 = 16 + 8n

a) n = 1

c) n = -1

b) n = 3

d) n = -3

| Use property of equality to solve the following | g equation: |
|---|-------------|
|---|-------------|

3)
$$-34 = 6m - 4$$

a)
$$m = 5$$

c)
$$m = 13$$

addioii.

b)
$$m = -5$$

d)
$$m = 25$$

Solution:

Solution:

Use property of equality to solve the following equation: 4) 9x + 27 = -72

a)
$$x = 11$$

c)
$$x = -11$$

1

b) x = 5

d)
$$x = -5$$

$$5)\frac{y}{5} - 6 = 8$$

a)
$$v = 5$$

c)
$$v = 23$$

b)
$$v = 16$$

d)
$$y = 70$$

| | | | | | |
|--|------|--|--|------|---|
| | | | | | • |
| | | | | | |

Use property of equality to solve the following equation:

6)
$$\frac{f}{-7} - 8 = 2$$

a)
$$f = -70$$

c)
$$f = 70$$

b) f = 10

d)
$$f = -10$$

| | | | |
|------|------|------|--|
| | | | |
| | | | |

7)
$$1 + \frac{r}{9} = 4$$

a)
$$r = -27$$

c)
$$r = 20$$

d)
$$r = 45$$

b) r = 27

Use property of equality to solve the following equation:

$$8)\frac{k}{3} + 4 = -16$$

a)
$$k = 36$$

c)
$$k = -36$$

b)
$$k = 60$$

d)
$$k = -60$$

| Use prope | rty of equality | y to solve the f | following equation: |
|-----------|-----------------|------------------|---------------------|
|-----------|-----------------|------------------|---------------------|

9)
$$\frac{n-2}{7} = 2$$

a)
$$n = 12$$

c)
$$n = 16$$

d)
$$n = 22$$

b) n = 14

Use property of equality to solve the following equation:

10)
$$14 = \frac{6+z}{-2}$$

a)
$$z = 20$$

c)
$$z = 34$$

b) z = -34

d)
$$z = -22$$

Solution:

| Use property of equality to solve the following equation |
|--|
|--|

11)
$$-11 = \frac{a-5}{6}$$

a)
$$a = -61$$

c)
$$a = -71$$

b) a = 16

d) a = 71

Use property of equality to solve the following equation:

$$12) \frac{22 - w}{3} = -7$$

a)
$$w = -1$$

c)
$$w = -43$$

b)
$$w = 1$$

d)
$$w = 43$$

| Simplify the following | a avaraccion if not | possible choose simplified: |
|------------------------|----------------------|-----------------------------|
| Simplify the following | g expression, ii not | possible choose simplified. |

39) 13r + 5r

- a) $18r^2$
- c) 18r

•

| b) 18 <i>r</i> | + | 1 |
|----------------|---|---|
|----------------|---|---|

d) Simplified

| Solution: | |
|-----------|--|
| | |

| Simplify the | following expression, | if not possible choos | se simplified: |
|--------------|-----------------------|-----------------------|----------------|
| _ | 0 | | |

40) $3x^3 - 2x^2$

a) $5x^5$

b) x

c) x^{5}

d) Simplified

41)
$$7m + 7 - 5m$$

a)
$$-2m + 7$$

555.2.C 0...655C 5....p....cu.

b)
$$2m + 7$$

d)
$$2m^2 + 7$$

Solution:

| _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | | | | _ | | _ | _ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ |
| | | | | | | | | | | | | | | | | | | |

Simplify the following expression, if not possible choose simplified:

42)
$$5z^2 + 3z + 8z^2$$

a)
$$13z^2 + 3z$$

c)
$$-13z^5 + 3z$$

b) $13z^5 + 3z$

| | | |
|------|------|--|
| | | |
| | | |

| Use the Distributive Pro | perty to: | simplify ex | pressions |
|--------------------------|-----------|-------------|-----------|
|--------------------------|-----------|-------------|-----------|

(39-53)

3

43) 7m + 2m + 5p + 4m

a)
$$12m + 5p$$

b) 13m + 5p

d)
$$13m^2 + 5p^2$$

Solution:

Simplify the following expression, if not possible choose simplified:

44) 6x + 4y + 5x

a)
$$11x^2 + y^2$$

b)
$$11x^2 + 4y^2$$

$$d) \quad 11x + 4y$$

| | ١, | | | |
|---|----|---|----|----|
| _ | | • | ۰, | м. |
| | • | | • | - |

3

Simplify the following expression, if not possible choose simplified:

45)
$$3m + 5g + 6g + 11m$$

a)
$$14m + 8g$$

$$14m^2 + 8g$$

b)
$$14m + 8g^2$$

d) Simplified

Solution:

46) $4a + 5a^2 + 2a^2 + a^2$ a) $12a^3$ b) 12ac) $8a^2 + 4a$ d) Simplified

| Simplify the following | expression, if not possible | choose simplified: |
|------------------------|-----------------------------|--------------------|
|------------------------|-----------------------------|--------------------|

47)
$$5k + 3k^3 + 7k + 9k^3$$

a)
$$24k^5$$

b)
$$12k^3 + 12k$$

d)
$$12k^5 + 12k$$

Solution:

| | | |
|------|------|--|
| | | |
| | | |

Simplify the following expression, if not possible choose simplified:

48)
$$6x^2 + 14x - 9x$$

a)
$$6x^2 + 5x$$

c)
$$6x^4$$

b)
$$6x^2 - 5x$$

| | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| _ | _ | _ | | _ | _ | _ | _ | | _ | _ | _ | _ | | _ | _ | _ | _ | _ |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

| | mplify the following expression, if not pose $3017g+g$ | Solution: | | |
|----|--|-----------|--------------|--|
| a) | 18g | b) | 17 <i>gg</i> | |
| c) | $18g^2$ | d) | Simplified | |

| Simplify the following expressio 50) $2x^2 + 6x^2$ | Solution: | |
|--|--------------------|--|
| a) $8x^4$ | b) 8x ² | |
| c) 12x ⁴ | d) Simplified | |

| Simplify | the | following | expression, | if not | possible | choose | simplified: | |
|----------|-----|-----------|-------------|--------|----------|--------|-------------|--|
| _ | | _ | | | | | | |

51) $7a^2 - 2a^2$

- a) $-5a^2$
- c) $5a^2$

 $5a^4$ b)

d) Simplified

Solution:

Solution:

Simplify the following expression, if not possible choose simplified: 52) $3y^2 - 2y + 9$

a)
$$5y^3 + 9$$

$$y + 9$$
 b) $y + 9$

d) $14y^3$

| | | | | _ |
|---|---|----|---|---|
| • | A | • | - | • |
| ٠ | ч | ٠, | м | • |
| | • | • | × | • |
| | | | | |

43


53)
$$3q^2 + q - q^2$$

a)
$$2q^2 + q$$

b) 5
$$q^5$$

d)
$$5q^5 - q$$

| _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | - |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |



| Solve the following equation and choose to 25) $-6y - 3 = 3 - 6y$ | Solution: | |
|---|-----------------------|--|
| a) It has One Solution, $y = 3$ | b) No solution | |
| c) It has One Solution, $y = -3$ | d) It has an Identity | |

| | ve the following equation and choose the $\frac{1}{2}(x+6) = \frac{1}{2}x - 9$ | rect answer: | Solution: | |
|----|--|--------------|--------------------|--|
| a) | It has One Solution, $x = 3$ | b) | No solution | |
| c) | It has One Solution, $x = -9$ | d) | It has an Identity | |

| Solve the following equat | ion and choose the correct answer: |
|---------------------------|------------------------------------|
| (27) 8a + 12 = 4(3 + 2a) | |

| | • | | | ., | | |
|----|--------|-------|--------|--------|-----|--|
| a) | It has | One S | Soluti | ion, q | = 0 | |

c) It has One Solution,
$$q = 12$$

nswer: Solution:

) It has an Identity

Solve the following equation and choose the correct answer:

28)
$$21(x + 1) - 6x = 15x + 21$$

a) It has One Solution,
$$x = 0$$

c) It has One Solution,
$$x = -6$$

answer: Solution:

No solution

b)

l) It has an Identity

| Solve the following equation and choose to 29) $12y + 48 - 4y = 8(y - 6)$ | Solution: | |
|---|-----------------------|--|
| a) It has One Solution, $y = 48$ | b) No solution | |
| c) It has One Solution, $y = -48$ | d) It has an Identity | |

| Solve the following equation and choose the correct answer: 30) $8(z+6) = 4(2z+12)$ | | Solution: |
|--|-----------------------|-----------|
| a) It has One Solution, $z = 0$ | b) No solution | |
| c) It has One Solution, $z = 24$ | d) It has an Identity | |

| Evaluate each expression 30. 7 ² | | Solution: |
|---|-------|-----------|
| a) 14 | b) 42 | |
| c) 49 | d) 21 | |
| 20 | 2025 | |

| Evaluate each expression 31. 14 3 | | Solution: |
|-----------------------------------|---------|-----------|
| a) 14196 | b) 2744 | |
| c) 420 | d) 343 | |

| Evaluate each expression 32. 2 6 | | Solution: |
|----------------------------------|-------|-----------|
| a) 12 | b) 24 | |
| c) 64 | d) 32 | |

2026

2025

| Evaluate each expression 33. 35 - 3 · 8 | | Solution: |
|--|-------|-----------|
| a) 59 | b) 11 | |
| c) 19 | d) 61 | |

| Evaluate each expression 34. 18 ÷ 9 + 2 · 6 | | Solution: |
|---|-------|-----------|
| a) 14 | b) 16 | |
| c) 15 | d) 18 | |

| Evaluate each expression 35. 10 + 83 ÷ 16 | | Solution: |
|---|---------|-----------|
| a) 10.5 | b) 10.8 | |
| c) 10.25 | d) 11 | |

Rewrite linear equations in slope-intercept form

(1-8)

235

Write an equation of a line in slope-intercept form with the given slope and y-intercept:

1) slope: 5, y-intercept: -3

| a) | y | = | 5 <i>x</i> | _ | 3 |
|----|---|---|------------|---|---|
|----|---|---|------------|---|---|

c)
$$y = 5x + 3$$

ahia

b)
$$y = -5x - 3$$

d)
$$y = -5x + 3$$

Solution:

Write an equation of a line in slope-intercept form with the given slope and y-intercept:

2) slope: -2, y-intercept: 7

a)
$$y = -2x - 7$$

c)
$$y = 2x - 7$$

b)
$$y = 2x + 7$$

d)
$$y = -2x + 7$$

Solution:

| Write an equation of a line in slope-intercept form with the given slope and y-intercept: |
|---|
| 3) slope: -6, v-intercept: -2 |

| a |) | y | = | 6 <i>x</i> | _ | 2 |
|---|---|----|---|------------|---|---|
| | , | ./ | | | | |

c)
$$y = -6x - 2$$

b)
$$y = -6x + 2$$

d)
$$y = 6x + 2$$

Write an equation of a line in slope-intercept form with the given slope and y-intercept:

4) slope: 7, y-intercept: 1

a) y = 7x - 1b) y = 7x + 1C) y = -7x - 1d) y = -7x + 1Solution:

| Write an equation of a line in slope-intercept form with the given slope and | y-intercept: |
|--|--------------|
| 5) slope: 3. v-intercept: 2 | |

a)
$$y = -3x - 2$$

c)
$$y = 3x - 2$$

b)
$$y = -3x + 2$$

d)
$$y = 3x + 2$$

Write an equation of a line in slope-intercept form with the given slope and y-intercept: 6) slope: -4, y-intercept: -9

a)
$$y = 4x - 9$$

c)
$$y = -4x - 9$$

b)
$$y = -4x + 9$$

d)
$$y = 4x + 9$$

| Write an equation of a line in slope-intercept form with the given slope and y-intercept: |
|---|
| 7) slope: 1, y-intercept: -12 |

| a) | y | = | $\boldsymbol{\chi}$ | _ | 12 |
|----|---|---|---------------------|---|----|
|----|---|---|---------------------|---|----|

b)
$$y = x + 12$$

c)
$$y = -x - 12$$

d)
$$y = -x + 12$$

| _ |
|-------|
| |
| |
| |

Write an equation of a line in slope-intercept form with the given slope and y-intercept:

8) slope: 0, y-intercept: 8

a)
$$y = 8x$$

b)
$$y = 8$$

c)
$$y = -8x$$

d)
$$y = -8$$

Solution:

| Find the common difference of each arithmeterms 9) 0.02, 1.08, 2.14, 3.2 | Solution: | |
|--|--|--|
| a) $d = 1.02$; next three terms: 4.24, 5.26, 6.28 | b) $d = 1.08$; next three terms: 4.28, 5.36, 6.44 | |
| c) $d = 1.10$; next three terms: 4.30, 5.40, 6.50 | d) $d = 1.06$; next three terms: 4.26, 5.32, 6.38 | |

| Find the common difference of each arithmeterms 10) 6, 12, 18, 24, | Solution: | |
|---|--|--|
| a) $d = 8$; next three terms: 32, 40, 48 | b) $d = 4$; next three terms: 28, 32, 36 | |
| c) $d = 6$; next three terms: 30, 36, 42 | d) $d = 12$; next three terms: 36, 48, 60 | |

| Find the common difference of each arithmetic sequence. Then find the next three |
|--|
| terms |

- **11)** 21, 19, 17, 15, ...
- a) d = -2; next three terms: 13, 11, 9
- c) d = 2; next three terms: 23, 25, 27

- b) d = -4; next three terms: 11, 7, 3
- d) d = -1; next three terms: 14, 13, 12

Find the common difference of each arithmetic sequence. Then find the next three terms

12)
$$-\frac{1}{2}$$
, $0, \frac{1}{2}$, $1, \dots$

a)
$$d=1$$
; next three terms: 2, 3, 4

c)
$$d = -21$$
; next three terms: $-1, -1\frac{1}{2}, -2$ d) $d = 23$; next three terms: $2\frac{1}{2}, 4, 5\frac{1}{2}$

b) d = 21; next three terms: $\frac{3}{2}$, 2, $\frac{5}{2}$

Find the common difference of each arithmetic sequence. Then find the next three terms

13)
$$2\frac{1}{3}$$
, $2\frac{2}{3}$, 3 , $3\frac{1}{3}$, ...

a)
$$d = \frac{1}{3}$$
; next three terms: $3\frac{2}{3}$, 4,4 $\frac{1}{3}$

c)
$$d = 1$$
; next three terms: $4\frac{1}{3}$, $5\frac{1}{3}$, $6\frac{1}{3}$

b) $d = \frac{1}{3}$; next three terms: $3\frac{1}{3}$, 4,4 $\frac{1}{3}$

|--|

| _ | _ | _ | _ | | _ | _ | _ | _ | _ | _ | | _ | _ | • |
|---|---|---|---|--|---|---|---|---|---|---|--|---|---|---|
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

d)
$$d = \frac{2}{3}$$
; next three terms: $4,4\frac{2}{3},5\frac{1}{3}$

Find the common difference of each arithmetic sequence. Then find the next three terms

14)
$$\frac{7}{12}$$
, $1\frac{1}{3}$, $2\frac{1}{12}$, $2\frac{5}{6}$, ...

a)
$$d = \frac{2}{3}$$
; next three terms: $3\frac{1}{2}$, $4\frac{1}{6}$, $4\frac{5}{6}$

b)
$$d = \frac{2}{12}$$
; next three terms: $2\frac{11}{12}$, 3,3 $\frac{1}{12}$

c)
$$d = \frac{3}{4}$$
; next three terms: $3\frac{7}{12}$, $4\frac{1}{3}$, $5\frac{1}{12}$

d)
$$d = \frac{7}{12}$$
; next three terms: $3\frac{1}{2}$, $4\frac{1}{12}$, $4\frac{7}{12}$

| 255 |
|-----|
|-----|

| Find the common difference of each arithmeterms 15) 3, 7, 11,15, | Solution: | |
|---|---|--|
| a) $d = 2$; next three terms: 17, 19, 21 | b) $d = 4$; next three terms: 19, 23, 27 | |
| c) $d = 3$; next three terms: 18, 21, 24 | d) $d = 5$; next three terms: 20, 25, 30 | |

| Find the common difference of each arithmeterms 16) 22, 19.5, 17, 14.5, | Solution: | |
|--|---|--|
| a) $d = -3$; next three terms: 11.5, 8.5, 5.5 | b) $d = -2$; next three terms: 12.5, 10.5, 8.5 | |
| c) $d = -1.5$; next three terms: 13, 11.5, 10 | d) $d = -2.5$; next three terms: 12, 9.5, 7 | |

| Find the common difference of each arithmetic sequence. Then find the next three |
|--|
| terms |

a)
$$d=1$$
; next three terms: -6 , -5 , -4

b)
$$d=-2$$
; next three terms: -9 , -11 , -13

c)
$$d=2$$
; next three terms: -5 , -3 , -1

d) d=3; next three terms:
$$-4$$
, -1 , 2

Solution:

Find the common difference of each arithmetic sequence. Then find the next three terms

a)
$$d=$$
 – 2; next three terms: – 13, – 15, – 17

a)
$$d = -2$$
; next three terms: -13 , -15 , -17 b) $d = -3$; next three terms: -14 , -17 , -20

c)
$$d = 3$$
; next three terms: 0, 3, 6

d)
$$d = -1$$
; next three terms: -12 , -13 , -14

Construct arithmetic sequences

| (1-8) | 255 |
|-------|-----|
| | |

| Determine whether each sequence is an arit 1) -3 , 1 , 5 , 9 , | termine whether each sequence is an arithmetic sequence. $-3,1,5,9,\ldots$ | | | | | | |
|---|--|--|--|--|--|--|--|
| a) Yes, it is arithmetic because the common difference is 4. | b) Yes, it is arithmetic because the common difference is -4. | | | | | | |
| c) No, it does not have common difference. | d) Can't be determined | | | | | | |

| Determine whether each sequence is an arithmetic sequence. 2) $\frac{1}{2}$, $\frac{3}{4}$, $\frac{5}{8}$, $\frac{7}{16}$ | | Solution: |
|---|--|-----------|
| a) Yes, it is arithmetic because the common difference is $\frac{1}{4}$. | b) Yes, it is arithmetic because the common difference is 2. | |
| c) No, it does not have common difference. | d) Can't be determined | |

| Construct withmetic convenee | Construct arithmetic sequences | (1-8) | 255 |
|------------------------------|--------------------------------|-------|-----|
| | Construct antinmetic sequences | | |

| Determine whether each sequence is an arithmetic sequence. 3) $-10, -7, -4, 1,$ | | Solution: |
|--|------------------------|-----------|
| a) Yes, it is arithmetic because the common difference is -3 . b) Yes, it is arithmetic because the common difference is 3 . | | |
| c) No, it does not have common difference. | d) Can't be determined | |

| Determine whether each sequence is an arithmetic sequence. 4) $-12.3, -9.7, -7.1, -4.5,$ | | Solution: |
|---|--|-----------|
| a) Yes, it is arithmetic because the common difference is 2.6. | b) Yes, it is arithmetic because the common difference is 3.4. | |
| c) No, it does not have common difference. | d) Can't be determined | |

Construct arithmetic sequences (1-8) 255

| Determine whether each sequence is an arithmetic sequence. 5) $4,7,9,12,$ | | Solution: |
|---|--|-----------|
| a) Yes, it is arithmetic because the common difference is 3 . | b) Yes, it is arithmetic because the common difference is 2. | |
| c) No, it does not have common difference. | d) Can't be determined | |

| Determine whether each sequence is an arithmetic sequence. 6) $15, 13, 11, 9 \dots$ | | Solution: |
|--|--|-----------|
| a) Yes, it is arithmetic because the common difference is -2 . | b) Yes, it is arithmetic because the common difference is 2. | |
| c) No, it does not have common difference. | d) Can't be determined | |

| Use the given property of equality to com 5) If $23 + 24 = 37$, then $37 = 23 +$ Use symmetric Property of Equality. | plete each statem | ent | Solution: |
|---|-------------------|------|-----------|
| a) 24 | b) 20 | | |
| c) 37 | d) 10 | 2025 | |

| Use the given property of equality to complete (a) If $a+5=b+3$ and $a+5=12$, then $b+3=$ Use transitive Property of Equality. | ete each statement | Solution: |
|---|--------------------|-----------|
| a) 24 | b) 20 | |
| c) 12 | d) 10 | |

| Recognize the | properties of e | equality and identity |
|---------------|-----------------|-----------------------|
|---------------|-----------------|-----------------------|

| (1-8) | 31 |
|-------|----|
| | |

| Use the given property of equality to confide 7) If $34 = 19 + 15$, then $19 + 15 =$ Use symmetric Property of Equality. | nplete each statement | Solution: |
|---|---------------------------|-----------|
| a) 34 | b) 20 | |
| c) 37 | d) 15 | 25 |

| Use the given property of eq 8) $b + 5 + 12 =$ Use reflexive Property of Equ | uality to complete each statement | Solution: |
|--|-----------------------------------|-----------|
| a) b+5+12 | b) 5+12+b | |
| c) 12+5+b | d) b+12+5 | |

| Solve the following proportion 4) $\frac{15}{35} = \frac{g}{7}$ | | Solution: |
|---|------|-----------|
| a) 5 | b) 2 | |
| c) 4 | d) 3 | 2026 |

| Solve the following proportion 5) $\frac{7}{10} = \frac{m}{14}$ | | Solution: |
|---|---------|-----------|
| a) 15 | b) 16.8 | |
| c) 9.8 | d) 14 | |

| Solve the following proportion 6) $\frac{8}{13} = \frac{v}{21}$ | | Solution: |
|---|---------|-----------|
| a) 12.92 | b) 11.8 | |
| c) 13.6 | d) 10.5 | |

| Solve the following proportion 7) $\frac{w}{2} = \frac{4.5}{6.8}$ | | Solution: |
|---|---------|-----------|
| a) 1.1 | b) 1.32 | |
| c) 1.5 | d) 1.4 | |

Solve proportions

| (4-15) | 113 |
|--------|-----|
| | |

| Solve the following proportion 8) $\frac{1}{0.19} = \frac{12}{n}$ | | Solution: |
|---|---------|---------------|
| a) 2.28 | b) 0.63 | |
| c) 1.9 | d) 2.0 | 2026 |

| le i | Solution: | | |
|------|---------------|---------|--|
| anj. | a) 0.42 | b) 0.52 | |
| | c) 0.84 | d) 0.58 | |
| | 2025 | | |

| Solve the following proportion 10) $\frac{2.4}{3.6} = \frac{k}{1.8}$ | | Solution: |
|--|--------|-----------|
| a) 1.5 | b) 1.3 | |
| c) 1.2 | d) 1.0 | |

| Solve the following proportion 11) $\frac{t}{0.3} = \frac{1.7}{0.9}$ | | Solution: |
|--|---------|-----------|
| a) 0.65 | b) 0.45 | |
| c) 0.33 | d) 0.57 | |

Solve proportions

| (4-15) | | |
|--------|--|--|
|--------|--|--|

113

$$12)\frac{7}{1.066} = \frac{z}{9.65}$$

| a) | 60. | 25 |
|----|-----|----|
|----|-----|----|

Solution:

| | | _ | _ | _ | _ | _ | _ | _ | _ | |
|---|---|---|---|---|---|---|---|---|---|--|
| | | | | | | | | | | |
| | | | | | | | | | | |
| _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | |

Solve the following proportion

13)
$$\frac{x-3}{5} = \frac{6}{10}$$

| Sol | ution: | |
|-----|--------|--|
| | | |

| _ |
|---|
| |
| |
| |
| |

Solve the following proportion

$$14)\frac{7}{x+9} = \frac{21}{36}$$

a) 9

c) 2

b) 6

| d) |
|-----|
| ٠., |

Solution:

| _ | _ | _ | _ | _ | _ | _ | _ | _ | _ |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | |
| | | | | | | | | | |
| _ | _ | _ | _ | _ | - | _ | _ | _ | _ |
| | | | | | | | | | |

Solve the following proportion

15)
$$\frac{10}{15} = \frac{4}{x-5}$$

a) 8

b) 9

d) 11



| Solve each equation. Che | oose the correct solution. |
|--------------------------|----------------------------|
|--------------------------|----------------------------|

1.
$$7 c + 12 = -4 c + 78$$

a)
$$c = 6$$

c)
$$c = 4$$

b)
$$c = 7$$

d)
$$c = 7$$

b) m = 4

d) m = 6

Solution:

| |
|------|
| |
| |

97

Solve each equation. Choose the correct solution

a)
$$m = 3$$

c)
$$m = 5$$

| 4 | | |
|----|--|--|
| 21 | | |
| | | |

Solve each equation. Choose the correct solution.

$$3.9x - 4 = 2x + 3$$

4.6 + 3t = 8t - 14

a)
$$x = 1$$

c)
$$x = 3$$

d)
$$x = 4$$

Solution:

a)
$$t = 3$$

b)
$$t = 4$$

c)
$$t = 5$$

d)
$$t = 6$$

| | 2.0 | Section 2 | 100 | |
|----------|---------|-----------|-----------|------------|
| Solve eo | uations | with th | е уапар е | on each si |

5.
$$\frac{(b-4)}{6} = \frac{b}{2}$$

a)
$$b = -2$$

c)
$$b = 6$$

b) b = 4

d)
$$b = 12$$

Solution:

| | | | |
|--|------|------|--|

Solve each equation. Choose the correct solution.

$$6.\frac{(3v+12)}{6} = \frac{4n}{3}$$

a)
$$v = 3$$

c)
$$v = 5$$

b)
$$v = 4$$

d)
$$v = 2.4$$

| _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

| 1- | 10 | |
|----|----|---|
| | _ | ı |

| Solve each ed | quation. Choos | se the correct | solution. |
|---------------|-----------------|----------------|--------------|
| JOINE CACILE | quationi circo. | | . Joiatioii. |

7.
$$2(r+6) = 4(r+4)$$

a)
$$r = -2$$

c)
$$r = -1$$

b) r = - 4

d)
$$r = -3$$

$$8.6(n+5)=3(n+16)$$

a)
$$n = 3$$

c)
$$n = 2$$

b)
$$n = 4$$

d)
$$n = 6$$

| 11 | Solve |
|----|-------|
| | |

a)
$$g = 4$$

c)
$$g = 14$$

b)
$$g = 5$$

d)
$$g = 7$$

Solution:

Solve each equation. Choose the correct solution.
10.
$$\cdot 12 - \frac{4}{5}(x + 15) = \left(\frac{2}{5}x + 6\right)$$

a)
$$x = 0$$

b)
$$x = -5$$

d)
$$x = 15$$

| | Translate | sentences | into equation: | Š |
|--|-----------|-----------|----------------|---|
|--|-----------|-----------|----------------|---|

(9-14)

71

a)
$$a^2 + 2a = b$$

c)
$$a^3 - 2a = b$$

b)
$$2a + a^3 = b$$

d)
$$2a^3 + a = b$$

Solution:

10)Seven less than the sum of p and t is as much as 6.

a)
$$p + t + 7 = 6$$

c)
$$7 - (p + t) = 6$$

b)
$$p + t - 7 = 6$$


d)
$$7(p+t) = 6$$

| a) x^2 | + 2 | y = | 2 |
|----------|-----|-----|---|
|----------|-----|-----|---|

$$b) x + x^2 = yz$$

c)
$$x^2 - x = yz$$

d)
$$x + y = z^2$$



a)
$$4f + g = 6g$$

b)
$$6(f + g) = 4g$$

c)
$$4(f + g) = 6g$$

| | | | | | | _ |
|------|------|-------|------|------|------|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | _ |
| | | _ | | | | _ |

| +14i | |
|------|--|
| | |

| a) | Α | = | 2L |
|----|---|---|----|
|----|---|---|----|

c) $A = L^2$

| b) $A = L + a$ | |
|----------------|--|
| | |

a)
$$P = 2\ell + 2w$$

c)
$$P = a + b + c^2$$

b)
$$P = 2\ell + 2$$

d)
$$P = a + b + c$$

| (40). Dana's Market is selling 3 packs of stylus pens for 5.00 Dhs, |
|---|
| How much will 10 packs of stylus pens cost at this price |
| 2 |

| a) x=16.7 | b) x=15.6 |
|-----------|-----------|
|-----------|-----------|

d)
$$x=14.7$$

| (41). During basketball practice, Hala made 36 free throws in 3 minutes. How many free | Solution: |
|--|------------------|
| throws will Hala make in 5 minutes ?. | |

d)
$$x=50$$

| ı, | | (40-43) |
|----|-------------------|---------|
| 2 | Solve proportions | |

| (42). Human fingernails grow at an average rate of 3.47 millimeters per month. How much will they grow in 20 months? | | | | |
|--|--------------------|--|--|--|
| b) x=6.97 | | | | |
| d) x=69.4 | | | | |
| 2026 2025 | | | | |
| | months? b) x=6.97 | | | |

| (43). Shmma enlarged the size of a picture to What is the new width of the picture if it was | Solution: | |
|--|------------------------------|--|
| a) The new width is 1.6 in | b) The new width is 360.5 in | |
| c) The new width is 22.5 in | d) The new width is 10 in | |

a) y = 2x - 3

c) y = 3x - 1


[37-39]

236

Solution:

Write an equation in slope-intercept form (y = mx + b) for each graph shown.

37. Points on the graph: (0, -3) and (2, 1), What is the equation of the line?




Solution:

b) y = x - 2

d) y = x + 1

Write an equation in slope-intercept form (y = mx + b) for each graph shown.

38. Points on the graph: (0, 2) and (2, -4), What is the equation of the line?




b) y = -2x + 4

c) y = -2x + 2

a) y = -3x + 2

d) y = -4x + 2

Write an equation in slope-intercept form (y = mx + b) for each graph shown. 39. Points on the graph: (0, -1) and (2, -3), What is the equation of the line?



| _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

a)
$$y = -x - 1$$


b)
$$y = -x + 1$$

c)
$$y = x - 3$$

d)
$$y = -x - 2$$

| 1 | α | (x) | _ | 37 | - 1 | 1 | 1 |
|----|-------------------|-----|---|-----------|--------|---|---|
| ⊥. | \mathcal{G}^{v} | (x) | _ | X | \top | 1 | |

The graph of g(x) is translated:



Solution:

a) 11 units left


b) 11 units right

c) 11 units up

d) 11 units down

2. g(x) = x - 8

The graph of g(x) is translated:



b) 8 units right


c) 8 unit down

a) 8 units left

d) 8 unit up

3.
$$g(x) = (x - 7)$$

The graph of g(x) is translated:



Solution:

| a) 7 units le | ft |
|---------------|----|
|---------------|----|


b) 7 units right

c) 7 units down

d) 7 units up

4.
$$g(x) = (x + 12)$$

The graph of g(x) is translated:



Solution:

a) 12 units left

b) 12 units right


c) 12 units up

d) 12 units down

247

5.
$$g(x) = (x + 10) - 1$$

The graph of g(x) is translated:



Solution:


| a) 10 units left and 1 | b) 10 units right and |
|------------------------|-----------------------|
| unit up | 1 unit down |

c) 10 units left and 1 unit down

d) 10 units right and 1 unit up

6. g(x) = (x - 9) + 5

The graph of g(x) is translated:



Solution:

| a) . 9 units left and 5 | b) 9 units right and |
|-------------------------|----------------------|
| ınits up | units |
| . % | |

c) 9 units left and 5 units

d) 9 units right and 5 units

(22-35)

18

| Write an algebraic expression for |
|-----------------------------------|
| each verbal expression. |
| 22. x more than 7 |

Solution:

__

a)
$$7 + x$$

b) x - 7

____<u>~</u>__

d) 7/x

| Write an algebraic expression for |
|-----------------------------------|
| each verbal expression. |
| 21 5 times a number |

Solution:

24. 5 times a number

a)
$$5 + x$$

b) 5*x*

c) x/5

d) x-5

| П | | |
|---|------|------|
| | | |
| | | |
| | | |
| | | |
| | | |

| Write an algebraic expression for |
|-----------------------------------|
| each verbal expression. |
| 23. a number less 35 |

Solution:

a)
$$35 - x$$

b) x + 35

d) 35/x

Write an algebraic expression for each verbal expression.

25. one third of a number

25. One tima of a nambe

a) x/3

b) 3*x*

c) 3 + x

d) x-3

Solution:

(22-35)

18

| Write an algebraic expression for each verbal expression. 26. f divided by 10 | | Solution: |
|---|-----------------|-----------|
| a) f. 10 | b) <i>f</i> /10 | |
| c) 10/ <i>f</i> | d) $f + 10$ | |

| Write an algebraic expression for each verbal expression. 28. three times a number plus 16 | | Solution: |
|--|-----------------------|-----------|
| a) $3x + 16$ | b) $3 + 16x$ | |
| c) $16 - 3x$ | d) $\frac{x}{3} + 16$ | |

| Write an algebraic expression for each verbal expression. 27. the quotient of 45 and r | | Solution: |
|---|-----------|-----------|
| a) 54 <i>r</i> | b) 45/r | |
| c) r/45 | d) 45 + r | |

| Write an algebraic expression for each verbal expression. 29. 18 decreased by 3 times d | | Solution: |
|---|-----------|-----------|
| a)18 + 3d B) | b)18 – 3d | |
| c)3d – 18 | d)3 – 18d | |

| Write an algebraic expression for each verbal expression. 30. <i>k</i> squared minus 11 | | Solution: |
|--|-----------|-----------|
| a)k + 11 | b)11 – k² | |
| c)k ² – 11 | d)k – 11² | - 6 |

| Write an algebraic expression for each verbal expression. 32. The sum of a number and 10 | | Solution: |
|---|-------------|-----------|
| a)10 – x | b) 10x | |
| c) $x + 10$ | d) $x - 10$ | |

| Write an algebraic expression for each verbal expression. 31. 20 divided by t to the fifth power | | Solution: |
|--|-----------------------|-----------|
| a)20 ÷ 5t | b)20 ÷ t ⁵ | |
| c)t⁵ ÷ 20 | d)5 ÷ 20t | |

| Write an algebraic expression for each verbal expression. 33. 15 less than the sum of <i>k</i> and 2 | | Solution: |
|--|-----------------|-----------|
| a) 15 - (k + 2) | b) (k + 2) + 15 | |
| c) (k + 2) – 15 | d) 15 + k + 2 | |

| Write verbal expressions for algebraic expressions |
|--|
|--|

(22-35) 18

Solution:

| Write an algebraic expression for each verbal expression. 34. The product of 18 and q | | Solution: |
|--|-----------|-----------|
| a) 18 + q | b) 18 ÷ q | 100 |
| c) 18q | d)q – 18 | |

Write an algebraic expression for each verbal expression.

35. Six more than twice *m*

a) 2m + 6

c) 2m - 6

| b) 6 – 2m | |
|-----------|--|

d) m + 2 + 6

| | 40.00 | _ | | |
|---------|--------------|----------|---------------|--------------|
| Use the | Distribution | Property | to evaluate e | more sources |
| | | | | |

(23-30)

42

| Rewrite each expression using the |
|-----------------------------------|
| Distributive Property. Then |
| simplify. |

Solution:

23. 2(x + 4)

a) 2x + 4

b) 2x + 8

c) x + 8

d) 2x - 8

b)3n + 5

Rewrite each expression using the Distributive Property. Then simplify.

25. (4-3m)8

a) 32 - 3m

b)4 - 24m

c) 32 - 24m

d)8 - 12m

Solution:

Rewrite each expression using the Distributive Property. Then simplify.

24. (5+n)3

a) 15 + n

c) 15 + 3n d) 3 + 5n

Solution:

Rewrite each expression using the Distributive Property. Then simplify.

26. -3(2x-6)

a)
$$-6x - 18$$

b)
$$-6x + 18$$

c)
$$6x - 18$$

d)
$$6x + 18$$

Solution:

| Rewrite each expression using the |
|-----------------------------------|
| Distributive Property. Then |
| simplify. |
| (0 4)47 |

27.
$$(2-4n)17$$

| a) $34 - 68n$ | b) $34 + 68n$ |
|---------------|---------------|
|---------------|---------------|

c)
$$17n - 8$$

d)
$$2n - 68$$

Solution:

| | | |
|------|------|--|
| | | |
| | | |

Rewrite each expression using the Distributive Property. Then simplify.

Rewrite each expression using the

Distributive Property. Then simplify.

a)32p + 16q - 28r b)8p + 64q - 7r

29.
$$\left(\frac{1}{3} - 2b\right) 27$$

c)9
$$b - 6$$

$$d)54b + 9$$

Rewrite each expression using the **Distributive Property. Then** simplify.

28.
$$11(4d + 6)$$

a)
$$44d + 6$$
 b) $44d + 66$

c)
$$11d + 66$$
 d) $4d + 66$

Solution:

c)
$$32p + 64q - 28$$

30. 4(8p + 16q - 7r)

c)
$$32p + 64q - 28r$$
 d) $4p + 16q - 7r$

Solution:

11. Find the slope of the line that passes through each pair of points.

(4, 3), (-1, 6)

a) $-\frac{3}{5}$

b) $\frac{3}{5}$

c) <u>5</u>

d) $-\frac{5}{3}$

12. Find the slope of the line that passes through each pair of points.

(8, -2), (1, 1)

- a) $-\frac{3}{7}$
- b)
- c) $-\frac{7}{3}$

d) $\frac{7}{3}$

Solution:

13. Find the slope of the line that passes through each pair of points.

(2, 2), (-2, -2)

a) <u>1</u>

c)

2

b) -1

d) -2

2025

14. Find the slope of the line that passes through each pair of points.

(6, -10), (6, 14)

a) **C**

b) undefined

c) 4

d) -4

Solution:

| 15. Find the slope of the line that passes | through each pair of points. |
|--|------------------------------|
| (5, -4), (9, -4) | |

- a) O
- c) -

- b) undefined
- d) -1

| Solution: |
|-----------|
|-----------|

- 16. Find the slope of the line that passes through each pair of points. (11, 7), (-6, -2)
- a) $\frac{9}{17}$

b) $-\frac{9}{17}$

c) $\frac{17}{9}$

 $-\frac{17}{9}$

| | 17. Find the slope of the line that passes through each pair of points. (−3, 5), (3, 6) | | Solution: |
|----|---|-------------------|-----------|
| a) | <u>1</u> 6 | b) $-\frac{1}{6}$ | |
| c) | 6 | d) -6 | |

| | nd the slope of the line that passes through each, (7, 2) | n pair of poin <mark>ts.</mark> | 2025 | Solution: |
|----|---|---------------------------------|------|-----------|
| a) | undefined | b) O | | |
| c) | <u>2</u> 7 | d) $-\frac{2}{7}$ | | |

| 19. Find the slope of the line that passes through each pair of points. (8, 10), (-4, -6) | | Solution: | |
|---|---------------|-------------------|--|
| a) | <u>4</u> 3 | b) $-\frac{4}{3}$ | |
| c) | $\frac{3}{4}$ | $-\frac{3}{4}$ | |

| Grapl Wha | h f(x)= x-2 by making a table. t is the value of f(x) when x=0.5? | | Solution: |
|--------------|---|---------|-----------|
| a) | 1.5 | b) -1.5 | |
| c) : | 2.5 | d) -2.5 | |

| For $f(x)= x-2 $, what is the value of $f(2)$? | e: 2 | Solution: |
|--|------|-----------|
| a) 2 | b) 0 | |
| c) -2 | d) 1 | |

| What is the domain and range of $f(x)= x-2 $? | | Solution: | |
|--|--------------------------|---|--|
| a) | Domain: x≥0 ; Range: y≥2 | b) Domain: all real numbers; Range: y≥0 | |
| c) | Domain: x≤2 ; Range: y≤0 | d) Domain: 0 <x<20 0<y<20<="" ;="" range:="" td=""><td></td></x<20> | |

| Gra | ph f(x)= x+1 | | Solution: |
|-----|--|----------|-----------|
| Wł | nat is the value of f(x) when x=-1.25? | | |
| a) | 1.25 | b) 0.25 | |
| c) | -0.25 | d) -1.25 | |

| For | f(x)= x+1 , what is the domain and range? | | Solution: |
|-----|---|-----------------------------|-----------|
| a) | Domain: all real numbers; Range: y≥0 | b) Domain: x≥−1; Range: y≥0 | |
| c) | Domain: x≤0; Range: y≤1 | d) Domain: x>-1; Range: y>1 | |

| If f(x)=2 x-1 , find f(5) | 2026 2025 | Solution: |
|---------------------------|-----------|-----------|
| a) 4 | b) 6 | |
| c) 8 | d) 10 | |

| If $f(x)=2 x-1 $, find $f(2.2)$ | | Solution: |
|----------------------------------|-------|-----------|
| a) 1.2 | b)2.4 | |
| c) 3.4 | d) 2 | |

| If $f(x)=2 x-1 $, find $f(5)$ | e: la g | Solution: |
|--------------------------------|---------|-----------|
| a) 4 | b) 6 | |
| c) 8 | d) 10 | |

(43-54)

81

| solve the | equation |
|-----------|----------|
|-----------|----------|

$$12z = 108$$

a) z=8

b) z = 10

c) z=9

d) z = 12

Solution:

solve the equation

$$-7t = 49$$

a) t = -7

b) t=7

Solution:

c) t = -49

d) t-1

solve the equation

$$18f = -216$$

a) f = -12

c) f = -18

b) f = 12

d)

$$f = 216$$

Solution:

solve the equation

$$-22 = 11v$$

b) v = -2 **Solution:**

c)
$$v = -11$$

a) v=2

 $d) \quad v = 22$

solve the equation

$$-6d = -42$$

b)
$$d = -7$$

Solution:

a)

$$d = 7$$

c)

$$d = 6$$

d) d = -6

solve the equation

$$96 = -24a$$

$$96 = -24a$$

b)

$$a=4$$

c)
$$a = -2$$

a) a = -4

d)

$$a = 2$$

Solution:

| 43-54 |
|-------|
| |

solve the equation

$$\frac{c}{4} = 16$$

Solution:

a) c = 64

b) c = 12

c) c = 8

d) c = 4

solve the equation

$$\frac{a}{16} = 9$$

Solution:

a = 25

b) a = -36

c) a = 144

d) a = -144

solve the equation

$$-84 = \frac{d}{3}$$

Solution:

a) d = 252

b)
$$d = -252$$

c)
$$d = -28$$

d)
$$d = 28$$

solve the equation $-\frac{d}{7} = -13$

a)
$$d = -7$$

c)
$$d = -91$$

b)
$$d = 7$$

d)
$$d = 91$$

Solution:

solve the equation $\frac{t}{4} = -13$

a)
$$t = -52$$

c)
$$t = -4$$

b) t = 52

d)
$$t=4$$

Solution:

solve the equation $31 = \frac{-1}{6}n$

a)
$$n = 31$$

c)
$$n = -186$$

b) n = -31

d)
$$n = 186$$

Solution:


Written Exam

"النجاح لا يأتي من الراحة، بل من الاجتهاد"



تربيــة وتعليمـ

| | 21 | Evaluate algebraic expressions by using the order of operations | . ah | j.co | (42-53) | 19 |
|----|--|---|-------|--------|---------|-----|
| | | | an an | 3.00 | | |
| | 22 | Solve equations for specific variables. (2-7) | | | (19-22) | 125 |
| 55 | | Solve equations for specific variables. (2.7) | | 9 | | |
| d | | | 10 | (0) | | |
| 3 | 23 | Solve equations by applying the Distributiv Property | | | (21-24) | 98 |
| ğ | | | 2026 | 12025 | | |
| ε | | | | | | |
| | 24 Graph linear functions by using the x- and y-intercepts | | | (9-14) | 216 | |
| | | | 100 | | | |
| | | | | | | |
| | 25 | Calculate and interpret rate of change. | | . ~ | (3-6) | 225 |
| | | | 10/1. | | | |
| | Salling In the salling of the sallin | | | | | |



19

Evaluate each expression if g = 2, r = 3, and t = 11.

42.
$$g + 6t$$

44.
$$r^2 + (g^3 - 8)^5$$

46.
$$t^2 + 8rt + r^2$$

47.
$$3g(g+r)^2-1$$

Evaluate each expression if a = 8, b = 4, and c = 16.

48.
$$a^2bc - b^2$$

49.
$$\frac{c^2}{b^2} + \frac{b^2}{a^2}$$

$$50. \ \frac{2b + 3c^2}{4a^2 - 2b}$$


52.
$$(\frac{a}{b})^2 - \frac{c}{a-b}$$

53.
$$\frac{2a-b^2}{ab} + \frac{c-a}{b^2}$$

- 19. **RECTANGLES** The formula $P = 2\ell + 2w$ represents the perimeter of a rectangle. In this formula, ℓ is the length of the rectangle and w is the width.
 - **a.** Solve the formula for ℓ .

b. Find the length when the width is 4 meters and the perimeter is 36 meters.

- 20. **BASEBALL** The formula $a = \frac{h}{b}$ can be used to find the batting average a of a batter who has h hits in b times at bat.
 - **a.** Solve the formula for *b*.



21. **SHOPPING** Thomas went to the store to buy videogames for \$13.50 each and controllers. The total amount Thomas spent can be represented by c = 13.50g + p, where c is the total cost, g is the number of games he bought, and p is the cost of the controllers. The controllers cost \$55 and Thomas spent \$136 total.

a. Solve the formula for *g*.

b. Find how many games Thomas bought.


- 22. **GEOMETRY** The volume of a box V is given by the formula $V = \ell wh$, where ℓ is the length, w is the width, and h is the height.
 - **a.** Solve the formula for *h*.

b. What is the height of a box with a volume of 50 cubic meters, length of 10 meters, and width of 2 meters?

21. **GEOMETRY** Supplementary angles are two angles with measures that have a sum of 180°. Complementary angles are two angles with measures that have a sum of 90°. The measure of the supplement of an angle is 10° more than twice the measure of the complement of the angle. Let 90 - x equal the degree measure of the complement angle and 180 - x equal the degree measure of the supplement angle. Write and solve an equation to find the measure of the angle.




22. **GEOMETRY** Write and solve an equation to find the value of x so that the figures have the same area.



23. **GEOMETRY** Write and solve an equation to find the value of x so that the figures have the same area.


9 ft


5 ft



24. **GEOMETRY** Write and solve an equation to find the value of x so that the figures have the same area.

The area of a trapezoid is $\frac{1}{2}h(b_1+b_2)$





Graph each equation by using the x-and y- intercepts.

9.
$$y = 4 + 2x$$

| x | y |
|---|---|
| | |
| | |
| | |

| | 1 | y | |
|---|---|---|----------------|
| | | | |
| | | | |
| - | _ | | |
| - | _ | | |
| - | _ | | - - |
| - | _ | | ^ |
| - | _ | | |
| _ | _ | | |
| | | o | O |

To find the x-intercept, let y = 0.

y = 4 + 2x Original equation

0 = 4 + 2x Replace y with 0.

-4 = 2x Subtract 4 from each side.

-2=x Divide each side by 2.

This means that the graph intersects the x-axis at (-2, 0).

To find the y-intercept, let x = 0


y = 4 + 2x Original equation

y = 4 + 2(0) Replace x with 0.

y = 4 Simplify.

This means that the graph intersects the y-axis at (0,4).


Graph the x-intercept. Graph the y-intercept. Draw a line through the points.



| _ |
|------|
| |
| |


| 1 | 0 | 5 | \mathbf{v} | -3x |
|---|---|---|--------------|-----|
| | | | | |

| X | y |
|---|---|
| | |
| | |
| | |



$$11. \ x = 5y + 5$$


| x | y |
|---|---|
| | |
| | 9 |
| | |



| | - |
|---------|----|
| 0.0 | 71 |
| | ш |
| | |


12. x + y = 4

| æ | y |
|---|---|
| | |
| | |
| | |




13. x - y = -3

| | x | y |
|---|----|-----|
| Ī | 0 | |
| | 70 | A . |
| | | |



14.
$$y = 8 - 6x$$

| x | y |
|---|----------|
| 4 | J |
| | \ |
| | |



The table below shows the population density (people per square mile) for the state of Texas in different years.

Find the average annual rate of change in the population density from 2000 to 2009.

| Year | People/mile squared |
|------|---------------------|
| 1930 | 22.1 |
| 1960 | 36.4 |
| 1980 | 54.3 |
| 2000 | 79.6 |
| 2009 | 96.7 |

In 2012, there were about **275 students** in the Delaware High School band.

By 2018, the number had increased to **305 students**. Find the **annual rate of change** in the number of students in

the band.


Calculate and interpret rate of change.

(3-6) 225

5. Temperature


The graph shows the temperature in a city at different hours throughout one day.

- a. Find the **rate of change** in temperature between **6 A.M.** and **7 A.M.**, and explain what it means in the context of the situation.
- b. Find the **rate of change** in temperature from **1 P.M.** to **2 P.M.**, and explain what it means in the context of the situation.



6. COAL EXPORTS

The graph shows the annual coal exports from U.S. mines in millions of short tons.



- **a.** Find the rate of change in coal exports between 2000 and 2002, and describe its meaning in the context of the situation.
- **b.** Find the rate of change in coal exports between 2005 and 2006, and describe its meaning in the context of the situation.



