

This file was downloaded from the American Curriculum website



الملف Guide Study 1 Part Theory Molecular Kinetic Chemistry about Worksheet

[Almanahj Website](#) → [American curriculum](#) → [11th Grade](#) → [Chemistry](#) → [Term 1](#) → [The file](#)

More files for 11th Grade , Subject Chemistry , Term 1

<a href="#">Worksheet about chemistry quantum mechanical model of atom</a>	1
<a href="#">Worksheet about Chemical calculations</a>	2
<a href="#">Worksheet about chemistry alkali and alkaline earth metals</a>	3
<a href="#">Worksheet about chemistry periodic classification</a>	4
<a href="#">Worksheet about chemistry hydrogen</a>	5
<a href="#">Worksheet about Environmental chemistry</a>	6

# The Nature of Gases-Part 1

## Study Guide for Chapter 13



### Lesson Objectives:

- Describe the assumptions of the kinetic theory as it applies to gases.
- Interpret gas pressure in terms of kinetic theory.
- Define the relationship between Kelvin temperature and average kinetic energy.

### Vocabulary: Drag and Drop

Kinetic energy	vacuum	pascal (Pa)
Kinetic theory	atmospheric pressure	barometer
Gas pressure	standard atmospheric pressure(atm)	

- \_\_\_\_\_ 1. the work needed to accelerate a body of a given mass from rest to its stated velocity.
- \_\_\_\_\_ 2. the force exerted on a surface by the air above it as gravity pulls it to Earth.
- \_\_\_\_\_ 3. space in which there is no matter or in which the pressure is so low that particles in the space do not affect any processes being carried on there.
- \_\_\_\_\_ 4. device used to measure atmospheric pressure.
- \_\_\_\_\_ 5. the force exerted on a given area
- \_\_\_\_\_ 6. model that describes a gas as a large number of identical particles, all of which are in constant, rapid, random motion
- \_\_\_\_\_ 7. SI unit of pressure that is equal to the force of one newton exerted on one square meter
- \_\_\_\_\_ 8. equals 760 mm of mercury, or 101.3 kPa

Complete the following:

The kinetic theory describes the (9) \_\_\_\_\_ of particles in matter and the forces of attraction between them. The theory assumes that the volume occupied by a gas is mostly (10) \_\_\_\_\_, that the particles of gas are relatively (11) \_\_\_\_\_, move (12) \_\_\_\_\_ of each other, and are in constant (13) \_\_\_\_\_ motion. The (14) \_\_\_\_\_ between particles are perfectly elastic so that the total (15) \_\_\_\_\_ remains constant. Gas pressure results from the simultaneous collisions of particles with an object. Barometers are used to measure (16) \_\_\_\_\_ pressure. Standard conditions are defined as temperature of (17) \_\_\_\_\_ and a pressure of (18) \_\_\_\_\_.

**True-False:** *Classify each of these statements as always true (AT), sometimes true (ST), or never true (NT) using the drop down menu. Think before you choose.*

- \_\_\_\_\_ 19. Atmospheric pressure is 760 mm Hg.
- \_\_\_\_\_ 20. The SI unit of pressure is the pascal.
- \_\_\_\_\_ 21. Atmospheric pressure increases as you climb a mountain because the density of Earth's atmosphere decreases with altitude.
- \_\_\_\_\_ 22. When particles of a substance are heated, some of the energy is absorbed by the particles and stored in the form of potential energy.
- \_\_\_\_\_ 23. The Kelvin temperature of a substance is directly related to the total kinetic energy of the particles in the substance.
- \_\_\_\_\_ 24. At any given temperature, the particles of all substances have the same average kinetic energy.