


This file was downloaded from the American Curriculum website



الملف 2 Part 2020 Perak Trial Chemistry about Worksheet

[Almanahj Website](#) → [American curriculum](#) → [10th Grade](#) → [Chemistry](#) → [Term 1](#) → [The file](#)

More files for 10th Grade , Subject Chemistry , Term 1

Worksheet about chemical reactions and equations	1
Worksheet about revision for exp of determining the empirical formula of copper oxide	2
CHEMISTRY TEST	3
Worksheet about Chemical bonding	4
Worksheet abour Metallurgy	5
Chemistry Review Worksheet	6
Worksheet about block elements 1	7

26. Diagram 7 shows the electron arrangement of a compound formed between atom P and Q.
Rajah 7 di bawah menunjukkan susunan elektron sebatian yang terbentuk antara atom P dan Q.




Diagram / Rajah 7

Which of the following statements is **true** about the compound?
*Antara pernyataan berikut, yang manakah **benar** tentang sebatian itu?*

- A. It is an ionic compound
Merupakan sebatian ionik
 - B. The compound is formed by covalent bonds
Terbentuk melalui ikatan kovalen
 - C. The compound has high boiling point
Mempunyai takat didih yang tinggi
 - D. The compound is formed by electron transfer
Terbentuk melalui perpindahan elektron
27. In the extraction of aluminium by electrolysing molten aluminium oxide, cryolite is added to the mixture to
Dalam pengekstrakan aluminium melalui elektrolisis leburan aluminium oksida, kriolit ditambah ke dalam campuran untuk
- A. catalyse the electrolysis process
memangkinkan proses elektrolisis
 - B. absorb the released oxygen gas
menyerap gas oksigen yang dibebaskan
 - C. lower the melting point of aluminium oxide
merendahkan takat lebur aluminium oksida
 - D. increase the purity of the aluminium obtained
menambah ketulenan aluminium yang diperolehi

28. Diagram 8 below shows volume and concentration of potassium hydroxide solution and ethanoic acid.

Rajah 8 menunjukkan isipadu dan kepekatan bagi larutan kalium hidroksida dan asid etanoik.




Diagram / Rajah 8


Which of the following statements are **true** for both solution?

Antara pernyataan berikut yang manakah **benar** bagi kedua-dua larutan itu?

	Potassium hydroxide solution <i>Larutan kalium hidroksida</i>	Ethanoic acid <i>Asid etanoik</i>
A.	Weak alkali <i>Alkali lemah</i>	Weak acid <i>Asid lemah</i>
B.	Low pH value <i>Nilai pH rendah</i>	High pH value <i>Nilai pH tinggi</i>
C.	High degree of ionization <i>Darjah pengionan tinggi</i>	Low degree of ionization <i>Darjah pengionan rendah</i>
D.	Low concentration of hydroxide ion <i>Kepekatan ion hidroksida rendah</i>	Low concentration of hydrogen ion <i>Kepekatan ion hidrogen rendah</i>

29. The following equation represents a reaction between zinc metal and sulphuric acid.

Persamaan berikut mewakili tindak balas antara logam zink dan asid sulfurik.



What is the name of the salt and its solubility in water?

Apakah nama bagi garam itu dan keterlarutannya dalam air?

	Name of salt <i>Nama garam</i>	Solubility in water <i>Keterlarutan dalam air</i>
A.	Zinc sulphate <i>Zinc sulfat</i>	Soluble <i>Larut</i>
B.	Zinc oxide <i>Zink oksida</i>	Insoluble <i>Tidak larut</i>
C.	Zinc oxide <i>Zink oksida</i>	Soluble <i>Larut</i>
D.	Zinc sulphate <i>Zinc sulfat</i>	Insoluble <i>Tidak larut</i>

30. Calculate the percentage of nitrogen in ammonium nitrate, NH_4NO_3
Hitungkan peratus kandungan nitrogen dalam ammonium nitrat, NH_4NO_3 .

Given that the relative atomic mass of H = 1, N = 14, O = 16
Diberi bahawa jisim atom relatif H = 1, N = 14, O = 16

- A. 34.5
- B. 35.0
- C. 35.4
- D. 53.0

31. The following equation shows the reaction between zinc powder and 25.0 cm^3 of 1.0 mol dm^{-3} hydrochloric acid.
Persamaan berikut menunjukkan tindak balas antara serbuk zink dengan 25.0 cm^3 asid hidroklorik 1.0 mol dm^{-3} .



How can the rate of hydrogen gas production be increased?
Bagaimakah kadar penghasilan gas hidrogen boleh ditingkatkan?

- A. Replace zinc powder with zinc granules
Menggantikan serbuk zink dengan ketulan zink
 - B. Increase the volume of hydrochloric acid
Menambahkan isi padu asid hidroklorik
 - C. Decrease the concentration of hydrochloric acid
Mengurangkan kepekatan asid hidroklorik
 - D. Decrease the activation energy by adding copper(II) sulphate solution
Mengurangkan tenaga pengaktifan dengan menambahkan larutan kuprum(II) sulfat
32. Diagram 9 shows the energy profile diagram of a reaction.
Rajah 9 menunjukkan gambar rajah profil tenaga bagi suatu tindak balas.




Diagram / Rajah 9

Based on the Collision Theory, which statement explains the changing of curve I to curve II?

Berdasarkan Teori Perlanggaran, pernyataan manakah menerangkan perubahan lengkungan I kepada lengkungan II?

- A. The total surface area of the solid reactants increases
Jumlah luas permukaan pepejal bahan tindak balas meningkat
- B. The kinetic energy of the particles of reactant decreases
Tenaga kinetik zarah-zarah bahan tindak balas berkurangan
- C. The number of mole per unit volume of particles increases
Bilangan mol per unit isipadu zarah-zarah meningkat
- D. The activation energy of the reaction decreases
Tenaga pengaktifan tindak balas berkurangan
33. Diagram 10 shows a conversion of butanol.
 Rajah 10 menunjukkan satu siri perubahan butanol




Diagram / Rajah 10

- Which of the following is the isomer of compound X?
Antara yang berikut, yang manakah isomer bagi sebatian X?
- I. But-1-ene
But-1-ena
- II. 2-methylprop-1-ene
2-metilprop-1-ena
- III. 2-methylpropane
2-metilpropana
- IV. 2,2-dimethylbutane
2,2-dimetilbutana
- A. I and II
I dan II
- B. I and IV
I dan IV
- C. II and III
II dan III
- D. III and IV
III dan IV
34. 1 mol of alcohol is burnt in excess oxygen.
 Which alcohol produces carbon dioxide and water in a mol ratio of 3:4?
1 mol alkohol dibakar dalam oksigen berlebihan.
Alkohol manakah yang menghasilkan karbon dioksida dan air dalam nisbah mol 3:4?
- A. Methanol
Metanol
- B. Ethanol
Etanol
- C. Propanol
Propanol
- D. Butanol
Butanol

35. A method to control the rusting of underground iron pipelines is through sacrificial protection.

Which of the following is the sacrificial metal?

Cara mengawal pengaratan saluran paip besi bawah tanah adalah melalui perlindungan korban.

Antara yang berikut, yang manakah adalah logam korban?

- A. Copper
Kuprum
- B. Lead
Plumbum
- C. Tin
Stanum
- D. Zinc
Zink

36. The following equation represents the reaction between magnesium and hydrochloric acid.

Persamaan kimia berikut mewakili tindak balas antara magnesium dengan asid hidroklorik.



What is the volume of hydrogen gas produced when 2.4 g of magnesium reacts with hydrochloric acid at standard temperature and pressure (STP)?

[Relative atomic mass : Mg = 24, H = 1; Molar volume of gas at STP = 22.4 dm³ mol⁻¹]

Berapakah isi padu gas hidrogen yang terhasil apabila 2.4 g magnesium bertindak balas dengan asid hidroklorik pada suhu dan tekanan piawai STP?

[Jisim atom relatif : Mg = 24, H = 1 ; Isipadu molar gas pada STP = 22.4 dm³ mol⁻¹]

- A. 2.24 dm³
- B. 1.12 dm³
- C. 0.10 dm³
- D. 4.48 dm³

37. Table 3 shows the composition of glucose.

Jadual 3 menunjukkan komposisi bagi glukosa.

Element <i>Unsur</i>	Percentage (%) <i>Peratus (%)</i>
C	40.0
H	6.70
O	53.3

Table / Jadual 3

Find the empirical formula of glucose.

[Relative atomic mass : C = 12, H = 1, O = 16]

Cari formula empirik bagi glukosa.

[Jisim atom relatif : C = 12, H = 1, O = 16]

- A. CH₂O
- B. CHO₃
- C. C₂HO₂
- D. C₂H₂O₃

38. Which molecule has triple covalent bond between its atom?
 [Proton number : H = 1, Cl = 17, O = 16, N = 14]
Molekul manakah yang mempunyai ikatan kovalen ganda tiga antara atomnya?
 [Nombor proton : H = 1, Cl = 17, O = 16, N = 14]
- Hydrogen
Hidrogen
 - Chlorine
Klorin
 - Nitrogen
Nitrogen
 - Oxygen
Oksigen
39. Table 4 shows the observation of electrolysis of a substance using carbon electrodes.
Jadual 4 menunjukkan pemerhatian bagi elektrolisis suatu bahan menggunakan elektrod karbon.

Electrode <i>Elektrod</i>	Observation <i>Pemerhatian</i>
Anode <i>Anod</i>	A greenish-yellow gas is released <i>Gas berwarna kuning kehijauan</i>
Cathode <i>Katod</i>	A colourless gas which burns with a 'pop' sound when tested with a lighted splinter <i>Gas yang tidak berwarna dan terbakar dengan bunyi 'pop'</i> <i>apabila diuji dengan kayu uji bernyala.</i>

Table / Jadual 4

The electrolyte maybe
Elektrolit itu mungkin

- dilute hydrochloric acid
asid hidroklorik cair
- concentrated potassium chloride solution
larutan kalium klorida pekat
- copper(II) chloride solution
larutan kuprum(II) klorida
- concentrated magnesium bromide solution
larutan magnesium bromida pekat

40. Diagram 11 shows the apparatus set-up to purify copper.
Rajah 11 menunjukkan susunan radas untuk menullenkan kuprum.







Diagram / Rajah 11

After several minutes, it is found that the copper is not purified. What should be done to ensure purification takes place?

Selepas beberapa minit, didapati kuprum tidak ditulenkan. Apakah yang perlu dilakukan untuk memastikan penullenan berlaku?

- A. Use a bigger pure copper
Gunakan kuprum tulen yang lebih besar
 - B. Interchange the terminals in the cell
Saling tukar terminal pada sel
 - C. Increase the concentration of silver nitrate solution
Tambah kepekatan larutan kuprum(II) klorida
 - D. Use silver chloride solution as electrolyte
Gunakan larutan argentum klorida sebagai elektrolit
41. W, X, Y and Z are four metals. Consider the reactions below involving these metals.
W, X, Y dan Z terdiri dari empat logam. Pertimbangkan tindak balas-tindak balas di bawah yang melibatkan logam-logam tersebut.



Arrange the metals W, X, Y and Z in decending order of the reactivity.
Susun kereaktifan logam-logam W, X, Y dan Z mengikut tertib menurun.

- A. X,W,Z,Y
- B. X,Z,W,Y
- C. Y,W,Z,X
- D. Y,Z,W,X

42. Which of the following solutions have the same number of hydrogen ions, H^+ , as in 50 cm^3 of 0.1 mol dm^{-3} sulphuric acid, H_2SO_4 ?

Antara larutan berikut, yang manakah mempunyai bilangan ion hidrogen, H^+ , sama seperti dalam $50\text{ cm}^3 0.1\text{ mol dm}^{-3}$ asid sulfurik, H_2SO_4 ?

- I 100 cm^3 of 0.1 mol dm^{-3} hydrochloric acid, HCl
 $100\text{ cm}^3 0.1\text{ mol dm}^{-3}$ asid hidroklorik, HCl
 - II 50 cm^3 of 0.2 mol dm^{-3} nitric acid, HNO_3
 $50\text{ cm}^3 0.2\text{ mol dm}^{-3}$ asid nitrik, HNO_3
 - III 100 cm^3 of 0.1 mol dm^{-3} ethanoic acid, CH_3COOH
 $100\text{ cm}^3 0.1\text{ mol dm}^{-3}$ asid etanoik, CH_3COOH
 - IV 50 cm^3 of 0.1 mol dm^{-3} phosphoric acid, H_3PO_4
 $50\text{ cm}^3 0.1\text{ mol dm}^{-3}$ asid fosforik, H_3PO_4
- A. I and II only
I dan II sahaja
 - B. I and III only
I dan III sahaja
 - C. III and IV only
III dan IV sahaja
 - D. I, II and III only
I, II dan III sahaja

43. The following equation represents the reaction between potassium hydroxide solution and dilute sulphuric acid.

Persamaan berikut mewakili tindak balas antara larutan kalium hidroksida dengan asid sulfurik cair.



What is the volume of 0.5 mol dm^{-3} sulphuric acid needed to neutralise 50 cm^3 of 0.5 mol dm^{-3} potassium hydroxide solution?

Apakah isi padu 0.5 mol dm^{-3} asid sulfurik yang diperlukan untuk meneutralkan 50 cm^3 larutan kalium hidroksida 0.5 mol dm^{-3} ?

- A. 12.5 cm^3
- B. 25.0 cm^3
- C. 50.0 cm^3
- D. 75.0 cm^3

44. Diagram 12 shows the method of preparing a soluble salt.
Rajah 12 menunjukkan kaedah penyediaan suatu garam terlarutkan.




Diagram / Rajah 12

What is X?
Apakah X?

- A. Copper(II) nitrate
Kuprum(II) nitrat
 B. Copper(II) oxide
Kuprum(II) oksida
 C. Copper(II) chloride
Kuprum(II) klorida
 D. Copper(II) bromide
Kuprum(II) bromida
45. Diagram 13 above shows the arrangement of atoms in brass.
Rajah 13 di atas menunjukkan susunan atom bagi loyang.




Diagram / Rajah 13

Which of the following could be atoms X and Y?
Yang manakah berikut mungkin atom X dan Y?

	X	Y
A.	Copper <i>Kuprum</i>	Tin <i>Stanum</i>
B.	Zinc <i>Zink</i>	Copper <i>Kuprum</i>
C.	Iron <i>Ferum</i>	Carbon <i>Karbon</i>
D.	Copper <i>Kuprum</i>	Zinc <i>Zink</i>